

Previous Year Question Paper of

AIIMS

MBBS Entrance Examination

AIIMS: 2000

(Original Question Paper with Answer Key)
All India Institute of Medical Sciences, New Delhi
Download PDF Now!



For more question papers, please visit: <u>www.easybiologyclass.com</u>


EBC

Max. Time : $3\frac{1}{2}$ hrs.

Max. Marks: 200

(PART 1. PHYSICS)


- 1. The physical quantity which has the dimensional formula M¹T - 3 is
 - (1) Compressibility
- (2) Density
- (3) Solar constant
- (4) Surface tension
- 2. A ball is dropped downwards. After 1 second another ball is dropped downwards from the same point. What is the distance between them after 3 seconds
 - (1) 20 m (2) 9.8 m (3) 25 m (4) 50 m
- 3. If a particle of mass m is moving in a horizontal circle of radius r with a centripetal force $(-1/r^2)$, the total energy
 - (1) $-\frac{4}{r}$
- (2) $-\frac{2}{r}$
- (3) $-\frac{1}{r}$
- $(4) \frac{1}{2\pi}$
- 4. A cubical block of side a is moving with velocity v on a horizontal smooth plane as shown. It hits a ridge at point O. The angular speed of the block after it hits O is



- (1) 3v/2a
- (2) $\sqrt{3}v/\sqrt{2}a$
- (3) 3v/4a
- (4) Zero
- 5. A second's pendulum is mounted in a rocket. Its period of oscillation decreases when the rocket
 - (1) Moves up with uniform acceleration
 - (2) Moves up with a uniform velocity
 - (3) Comes down with uniform acceleration
 - (4) Moves round the earth in a geostationary orbit.

- 6. Consider a car moving along a straight horizontal road with a speed of 72 km/h. If the coefficient of static friction between the tyres and the road is 0.5, the shortest distance in which the car can be stopped is $[g = 10 \text{ ms}^{-2}]$
 - (1) 20 m
- (2) 40 m
- (3) 30 m
- (4) 72 m
- 7. A force acts on a 3.0 gm particle in such a way that the position of the particle as a function of time given is $x = 3t - 4t^2 + t^3$, where x is in metres and t is in seconds. The work done during the first 4 seconds is
 - (1) 530 mJ
- (2) 490 mJ
- (3) 450 mJ
- (4) 2.28J
- 8. A body of mass 2 kg collides with a wall with speed 100 m/s and rebounds with same speed. If the time of contact was 1/50 second, the force exerted on the wall is
 - $(1) 10^4 N$
- (2) 4N
- $(3) 2 \times 10^4 \text{ N}$
- (4) 8 N
- 9. If momentum is increased by 20%, then K.E. increases by
 - (1)55%
- (2)77%
- (3) 66%
- (4) 44%
- 10. The decrease in the potential energy of a ball of mass 20 kg which falls from a height of 50 cm is
 - (1) 98 J
- (2) 968 J
- (3) 1980 J
- (4) None of these.
- 11. In a rectangle ABCD (BC = 2AB) . The moment of inertia along which axis will be minimum

Print less... Save paper... Save trees.... Save our Earth!



(1) EG

(2) HF

(3) BD

(4) BC

12. In a carbon monoxide molecule, the carbon and the oxygen atoms are separated by a distance 1.12×10^{-10} m. The distance of the centre of mass from the carbon atom is

$$(1)0.64 \times 10^{-10} \,\mathrm{m}$$
 (2) $0.56 \times 10^{-6} \,\mathrm{m}$

$$(2) 0.56 \times 10^{-6} \text{ m}$$

$$(3) 0.51 \times 10^{-10}$$

(3)
$$0.51 \times 10^{-10}$$
 m (4) 0.48×10^{-10} m

13. For a satellite escape velocity is 11 km/s. If the satellite is launched at an angle of 60° with the vertical, then escape velocity will be

(1) 33 km./s (2)
$$\frac{11}{\sqrt{3}}$$
 km/s

$$11\sqrt{3} \text{ km/s}$$

14. If the radius of the earth shrinks by 1.5% (mass remaining same), then the value of acceleration due to gravity changes by

- (1) 1%
- (2)3%
- (3)4%

(4)2%

15. In which case there is maximum tension in the wire, if same force is applied on each wire

- (1) L = 400 cm, d = 0.01 mm
- (2) L = 300 cm, d = 0.03 mm
- (3) L = 200 cm, d = 0.02 mm
- (4) L = 500 cm, d = 0.05 mm

16. If the surface tension of water is 0.06 Nm⁻¹, then the capillary rise in a tube of diameter 1 mm is $(\theta = 0^{\circ})$

- (1) 3.86 cm
- (2) 3.12 cm
- (3) 2.44 cm
- (4) 1.22 cm

17. 1 mole of gas occupies a volume of 100 ml at 50 mm pressure. What is the

100 mm pressure and at same temperature

- (1) 500 ml
- (2) 200 ml
- (3) 100 ml
- (4) 50 ml

18. What is the velocity of wave in monatomic gas having pressure 1 kilo pascal and density 2.6 kg/m³

- $(1) 8.9 \times 10^3 \,\mathrm{m/s}$
 - $(2) 3.6 \, \text{m/s}$
- (3)7.ero

(4) None of these.

19. A gas mixture consists of 2 moles of oxygen and 4 moles of argon at temperature T. Neglecting all vibrational modes . the total internal energy of the system is

- (1)11RT
- (2)9RT
- (3)15RT
- (4)4RT

20. A diatomic gas initially at 18°C is compressed adiabtically to one - eighth of its original volume. The temperature after compression will be

- (1) 144°C
- (2) 891°C
- (3) 887°C
- (4) 18°C

21. The radiant energy from the sun incident normally at the surface of earth is 20 k cal/m² min. What would have been the radiant energy incident normally on the earth, if the sun had a temperature twice of the present one.

- (1) $80 \text{ kcal/m}^2 \text{ min}$ (2) $320 \text{ kcal/m}^2 \text{ min}$
- (3) $40 \text{ kcal/m}^2 \text{ min}$ (4) $160 \text{ kcal/m}^2 \text{ min}$

22. The ratio of energy of emitted radiation of black body at 27°C and 927°C is

(1) 1:256 (2) 1:64 (3) 1:16 (4) 1:4

23. Two waves of lengths 50 cm and 51 cm produced 12 beats per second. The velocity of sound is

- (1) 360 m/s
- (2) 340 m/s
- (3) 331 m/s
- (4) 306 m/s

24. A whistle giving out 450 Hz approaches a stationary observer at a


- 22. A monoenergetic electron beam with electron speed of 5.28×10^6 ms⁻¹ is subjected to a magnetic field of 2×10^{-4} T normal to the back velocity. What is the radius of the circular path traced by the beam? Given e/m for electron = $1.76 \times 10^{11} \,\mathrm{C \, kg^{-1}}$.
 - (1) 20 cm
- (2) 15 cm
- (3) 10 cm
- (4) 5 cm
- 23. The energy of a photon corresponding to the visible light of maximum wavelength is approximately equal to
 - (1) 2.0 eV
- (2) 2.5 eV
- (3) 1.0 eV
- (4) 1.5 eV
- 24. A light signal (photon) cannot escape from the surface of a
 - (1) neutron star
- (2) black hole
- (3) red giant
- (4) white dwarf
- 25. On increasing the reverse bias to a large value in a pn junction diode, the current
 - (1) remains fixed
- (2) suddenly increased
- (3) decreases slowly (4) Increased slowly
- 26. In Boolena algebra $\overline{1} + \overline{1}$ equals
 - $(1)^{2}$

(2) 1

(3)0

- (4) both 0 and 1
- 27. Which of the following crystals have a hexagonal structure?
 - (1) zinc
- (2) calcite
- (3) quartz.
- (4) both (1)&(3)
- 28. When a β-particle is emitted from a nucleus, the neutron-proton ratio
 - (1) is increased
- (2) is decreased
- (3) remains the same
- (4) first decreases then increases
- 29. If the end A of a wire is irradiated with alpha rays and the end B is irradiated with beta rays, then
 - (1) a current will flow from B to A
 - (2) a current will flow from A to B
 - (3) there will be no current in the wire
 - (4) a current will flow from each end to the mid point of the wire

- 30. If A. Z and N denote the mass number , the atomic number and the neutron number for a given nucleus, then which of the following statement is incorrect?
 - (1) isobar have the same A but different Z
 - (2)isotopes have the same Z but different N and A
 - (3) isotones have the same N but different A and 7
 - (4) N = Z + A
- 31. Moving with the same velocity, which of the following has the longest de Broglie wavelength?
 - (1) neutron
- (2) proton
- (3) β particle
- (3) α particle
- 32. A concave lens of focal length 20 cm placed in contact with a plane mirror acts as a
 - (1) concave mirror of focal length 10 cm
 - (2) concave mirror of focal length 60 cm
 - (3) concave mirror of focal length 40 cm
 - (4) convex mirror of focal length 10 cm
- 33. If a graph is plotted between 1/v and 1/u, which one of the graphs shown in figure is approximately correct?



- 34. A particle of mass m and q is released from rest in a uniform electric field E. The kinetic energy attained by the particle, after moving a distance x is
 - (1) a^2 Ex
- (2) q Ex
- (3) $a E^{2}x$
- (4) a Ex²
- 35. A proton and an alpha particle enter a uniform magnetic field with the same

	Print less Save paper Save t	reesSa	ve our Ea	irtn!			EBC	<u> </u>	
	(4) A magnetic field is applied normally		(1) 8 F	ermi		(2)	11.16 ferr	ni	
38	3. The wavelength of the first line of	Bal-	(3) 6 F	ermi		(4)	5 Fermi		
	mer series is 6563 Å. The Rydberg	con-	40. An	atom	of ı	mass	number	15	and
	stant for hydrogen is about		atomi	c nu	mbe	r 7	captu	ıres	an
	(1) 1.09×10^5 per m (2) 1.09×10^9 per	m	$\alpha - \mathbf{p} \mathbf{e}$	rticles	and	then	emits a	a pre	oton
	(3) 1.09×10^8 per m (4) 1.09×10^7 per		The m	nass nu	mbei	and	atomic n	umb	er of
			the re	sulting	prod	uct w	ill respe	ctive	ly be
39	P. Radius of ⁴ ₂ He nucleus is 3 Fermi	. The	(1) 18	and 8		(2)	16 and 4		
	radius of 82 Pb nucleus will be		(3) 15	and 3		(4)	14 and 2		41
§	Directions Q41 to 60 consists of the other labelled the 'Reason (R)'. (1) If both assertion and reason are to the assertion (2) If both assertion and reason are to the assertion.	. Examinatrue states	ne these ments an	statem d the re	ents d ason	c arefu is a co	illy and d orrect expl	l ecid anati	le if ion of
	assertion								
	(3) If the assertion is true but the reason	on is a fals	se statem	ent					
	(4) If both assertion and reason are fa	lse statem	ents.						- 20
41	Assertion (A): The internal resistance of depends on the concentration of the clyte used in the cell.	electro-	Reason the elec				ases the io	nisati	ion of
	(1) (2)	(3)				4)			
42	 Assertion (A): Machine parts are jamminuter. 	med in					of lubrica ow tempe		
	(1) (2)	(3)			(4	4)			
43	 Assertion (A): Brilliant colours are seen layer of oil on the surface. 	in thin	Reason colours.		hite li	ght is c	composed	of se	everal
	(1) (2)	(3)			(4	4)			
44	Assertion (A): Activity of 10^8 undecay dioactive nuclei of half life 50 days is enthat of 1.2×10^8 undecayed nuclei of other material with half life 60 days.	qual to f some	Reason	(R) : Ac			ortional to	o half	f life.
	(1) (2)	(3)	_	(E) E		4)			
45.	Assertion (A): When two vibrating forks having frequencies 256Hz and 512 held near each other, beats can not be held (1) (2)	Hz are	valid or	77 - 7 - 7 - 7 - 7	e frec l.	7.0	of super es of the		
46.	Assertion: (A): Isotopes of an element separated by using a mass spectrometer.	30		of the	parat	ion of	isotopes in electron		
	(1) (2)	(3)			(4	1)			
47.	Assertion (A) : A solid floats in a liquid it is just submerged. When the liquid is the solid sinks to the bottom.		Reason the rise				solid incre	eases	with
	(1) (2)	(3)			(4	1)			

48.	Print less Assertion (A): thermal equilibrithermal equilibri	um with a third	l system are in	our Earth! Reason (R): The heat flows spontan from a system at a higher temperature to term at lower temperature.			
	(1)	(2)	(3)	(4)			
49.	Assertion (A): He rather than k-ve losses through we	alues when ca	alculating heat	Reason (R): The u-value of a single brid is 1.7Wm ⁻² K ⁻¹	ck wal		
	(1)	(2)	(3)	(4)			
50.	Assertion (A)	: Two satellites	of mass m ₁ &				
	m_2 ($m_1 > m_2$) a orbits of raddi s r			Reason (R) : They will have same velocity.			
	(1)	(2)	(3)	(4)			
51.	. Assertion (A): If a convex lens of glass is immersed in water its power decreases.			Reason (R) : In water it behaves as a concavelens.			
	(1)	(2)	(3)	(4)			
52.	Assertion (A) : medium to anoth quantity which is	er of different d	lensity the only	Reason (R) : The wavelength of light is lated to the refractive index of the medium			
	(1)	(2)	(3)	(4)			
53.	Assertion (A) photons travelling			Reason (R): The rest mass of a phozero.	oton is		
	(1)	(2)	(3)	(4)			
54.	Assertion (A) ning freely about brought to rest w of a strong U-sha	ut a central pi hen placed bet	vot is quickly	Reason (R): A current induced in a disc ing in a magnetic field produces a force tends to oppose the disc's motion.			
	(1)	(2)	(3)	(4)			
	Assertion (A): comes inverse cuing the sun and in equal time inte	ibe law even th the planet swee	en a line join-	Reason (R): A planet moves in an el path.	liptica		
	(1)	(2)	(3)	(4)			
	Assertion (A) : A taining a certain			Reason (R): Upthrust due to air decrease with height till it just balances the weight of the balloon.			
	(1)	(2)	(3)	(4)			
	. Assertion (A): A table cloth can be pulled from a table without dislodging the dishes.			Reason (R) : To every action there is an equal but opposite reaction.			
	(1)	(2)	(3)	(4)			
	. Assertion (A): Alpha particles produce more intense ionisation than beta particles.			Reason (R): Alpha particles are positively charged.			
	(1)	(2)	(3)	(4)			

59. The velocity of sound in air increases due to the presence of moisture.

60. Assertion (A): The positive ray particles are more massive than electrons.

ANSWERS WITH HINTS & EXPLANATIONS

1. Ans. (3) Solar constant is energy received per unit area per second

i.e.
$$\frac{ML^2T^{-2}}{L^2T} = M^1T^{-3}$$

2. Ans. (3)

$$S_{13} - S_{22} = \frac{1}{2} \times 10 \times (9) - \frac{1}{2} \times 10 \times 14 = 25 \text{ m}$$

3. Ans. (4)
$$\frac{mv^2}{r} = \frac{1}{r^2}$$
 i.e., $mv^2 = \frac{1}{r}$


$$\therefore K.E. = \frac{e^2}{2r} \text{ and } P.E. = \int F dtr = -\frac{e^2}{r}$$

$$\therefore \text{ Total energy } = \text{K.E.} + \text{P.E.} = \frac{e^2}{2r} - \frac{e^2}{r} = -\frac{e^2}{2r}$$

1. Ans. (3) Angular momentum with respect O before colliding with $O = Mv_0^a$

On collision, the block will rotate about the side passing through O.

· By law of conservation of angular momentum



$$\Rightarrow \qquad \text{Mv } \frac{\text{a}}{2} = \left(\frac{\text{Ma}^2}{6} + \frac{\text{Ma}^2}{2}\right) \omega \implies \omega = \frac{3v}{4a}$$

Where I is the moment of inertia of the block about the block about the axis perpendicular to the plane passing through O.

5. Ans. (1)
$$T = 2\pi \sqrt{\frac{T}{\sigma}}$$

Reason (R): Positive rays are deflected by a

Reason: (R): The presence of moisture in air

magnetic field to a greater extent than cathode rays.

When the rocket accelerates upwards q increases to (g + a)

6. Ans. (2) Friction = μ Mg

Hence retardation = $\mu g = 0.5 \times 10 = 5 \text{ ms}^{-2}$

Using
$$v^2 - u^2 = 2ax$$

lowers the density of air.

Taking v = 0, $u = 20 \,\text{ms}^{-1}$,

we get x = 40 m

7. Ans. (4) W = $\frac{1}{9}$ m ($v_4^2 - v_0^2$)

$$v = \frac{dx}{dt} = 3 - 8t + 3t^2$$

 $v_0 = 3 \text{ m/s} \text{ and } v_4 = 19 \text{ m/s}$

$$W = \frac{1}{2} \times 0.03 \times (19^2 - 3^2) = 5.28 \text{ J}$$

8. Ans. (3) $\Delta p = F\Delta t$

 $\Delta p = 2 \times (2 \times 100 = 400 \text{ ms}^{-1})$ Here

$$F = \frac{400}{1/50} = 2 \times 10^4 \,\text{N}$$

9. Ans. (4) $K = \frac{p^2}{2m}$

$$K'' = \frac{\left(\frac{120}{100} p\right)^2}{2m} = 1.44 \frac{p^2}{2m} = 1.44 K$$

$$\Delta K = K^1 - K = 0.44 K = 44\% K$$

- **10**. Ans. (1) $\Delta U_p = mgh = 20 \times 9.8 \times 0.5 = 98 J$
- 11. Ans. (1) About EG, the maximum distance from the axis is the least.

12. Ans. (1)
$$R_{CM} = \frac{12 \times 0 + 16 \times 112 \times 10^{-10}}{12 + 16}$$

= $\frac{16}{28} \times 1.12 \times 10^{-10} \text{ m}$

13. Ans. (4) Escape velocity is same for all an even our Earth! $n_1 = \frac{v}{\lambda_1} = \frac{v}{0.50}$ and $n_2 = \frac{EBC}{\lambda_2} = \frac{v}{0.51}$

14. Ans. (2)
$$g = \frac{GM}{R^2}$$
;

$$\frac{\Delta g}{g} = -2 \frac{\Delta R}{R} = -2 \times 1.5 = -3 \%$$

15. Ans. (1)
$$Y = \frac{F}{A} \frac{L}{\Delta L}$$

$$\Rightarrow \Delta L = \frac{f}{A} \frac{L}{Y} = \frac{F}{\pi (d^2/4)} \frac{L}{Y} = \frac{4F}{\pi Y} \left(\frac{L}{d^2}\right)$$

Here L/d^2 is maximum for wire in option (1)

16. Ans. (3) Use ascent formula for capillary rise.

17. Ans. (3) For 1 mole of gas,

$$50 \times 100 = 1 \times R \times T$$

For 2 moles of gas,

$$V \times 100 = 2 \times R \times T :: \frac{50 \times 100}{V \times 100} = \frac{RT}{2RT}$$

18. Ans. (4)
$$C = \sqrt{\frac{3p}{p}} = \sqrt{\frac{3 \times 10^3}{2.6}} = 40 \text{ m/s}$$

19. Ans. (1) Oxygen is diatomic gas, hence its energy of two moles

$$=2\times\frac{5}{2}$$
 RT $=5$ RT

Argon is a monatomic gas, hence its internal energy of 4 moles

$$=4\times\frac{3}{2}RT=6RT$$

Total Internal energy = (6 + 5) RT = 11RT

20. Ans. (2) $T_1V_1^{r-1} = T_2V_2^{r-1}$ Here r = 1.4.

21. Ans. (2) According to Stefan'slaw E ∝ T4

$$\Rightarrow \frac{E_1}{E_2} = \left(\frac{T_1}{T_2}\right)^4$$

$$\frac{20}{E_2} = \left(\frac{T}{2T}\right)^4 = \frac{1}{16}$$

$$\Rightarrow$$
 $E_2 = 320 \text{ kcal/m}^2 \text{ min}$

22. Ans. (1) E ∝ T4 ...

23. Ans. (4)

Earth!
$$n_1 = \frac{v}{\lambda_1} = \frac{v}{0.50}$$
 and $n_2 = \frac{EBC}{\lambda_2} = \frac{v}{0.51}$

$$\Delta n = n_1 - n_2 = v \left[\frac{1}{0.50} - \frac{1}{0.51} \right] = 12$$

$$v = \frac{12 \times 0.51 \times 0.50}{0.01} = 306 \text{ m/s}$$

24. Ans. (1) The apparent frequency heard by the observer is given by

$$n' = \frac{v}{v - v_5} n$$

Since the source is moving with velocity ve towards the stationary observer)

$$= \frac{330}{330 - 33} \times 450 = \frac{330}{297} \times 450 = 500 \text{ Hz}$$

25. Ans. (1) The wave equation is $y = A \sin(\omega t - kx + \phi)$

26. Ans. (3)

$$\frac{dy}{dt} = 0.5 \times 10\pi \cos(10\pi t - 5x)$$
$$= 5\pi \cos(10\pi t - 5x)$$

$$\left(\frac{dy}{dt}\right)_{max} = 5\pi \text{ m/sec}$$

27. Ans. (3)

$$d = \frac{D\lambda}{\beta} = \frac{1 \times 5 \times 10^{-7}}{5 \times 10^{-3}} = 10^{-4} \text{ m} = 0.1 \text{ mm}$$

- 28. Ans. (1) Since P is ahead of Q by 90° and path difference between P and Q is $\lambda/4$. Therefore at A. phase difference is zero, so intensity is 4I. At C it is zero and at B, the phase difference is 90°, so intensity is 21
- 29. Ans. (3) Energy is conserved in the interference of light.

30. Ans. (4)

$$\frac{1}{f} = (_{1}\mu_{2} - 1) \left(\frac{1}{R_{1}} - \frac{1}{R_{2}} \right)$$

$$= (1.6 - 1) \left(\frac{1}{\pm \infty} - \frac{1}{-60} \right)$$

$$= \frac{0.6}{60} = \frac{1}{100} \text{ cm}$$

$$f = 100 \text{ cm}$$

EBC

Print less... Save paper... Save trees....Save our Earth!
$$I = m \left(\frac{a}{2}\right)^2 + m \left(\frac{a}{2}\right) 2 = \frac{ma^2}{2}$$
of x gram tent heat

Hence the correct choices is (2).

- 6. Ans. (1) The centripetal force is provided by the gravitational attraction of the earth. Hence the correct choice is (1).
- 7. Ans. (2) When stones are unloaded into the water in the tank, the volume of water displaced is equal to the volume of the stones. This is less than the volume of water having weight equal to the weight of stones because the density of stones is greater than that of water. Hence the water level falls, which is choice (2)
- 8. Ans. (1) Mass of water in first tube is

$$m = \pi r^2 h \rho$$

Now, surface tension

$$\sigma = \frac{h\rho gr}{2} = \frac{h\rho gr'}{2}$$

where h' is the height to which water rises in the second tube and r' its radius. Since r' = 2r, h' = h/2

Therefore, the mass of water in the second capillary tube is

$$m' = \pi r'^2 h' \rho = \pi (2r)^2 \frac{h}{2} \rho$$

= $2\pi r^2 h \rho = 2m = 2 \times 5 = 10 \text{ g}$

Hence the correct choice is (1)

9. Ans. (2) Here $I_1 = \frac{FL_1}{2V}$

and

$$l_2 = \frac{FL_2}{\pi r^2 2 Y}$$

Therefore,

$$\frac{l_1}{l_2} = \frac{L_1}{L_2} \times \left(\frac{r_2}{r_1}\right)^2$$

 $L_2 = 2L_1$ and $r_2 = \frac{r_1}{2}$ Given

Thus,
$$\frac{l_1}{l_2} = \frac{1}{2} \times \frac{1}{(2)^2} = \frac{1}{8}$$

10. Ans. (2) The latent heat of vaporization of water is very nearly 540 calories per gram. Therefore heat released in the condensation

For more question papers, please visit:

of x gram of steam = 540 x calories. The latent heat of fusion of ice is very nearly 80 calories. Therefore, heat required to convert y gram of ice at 0°C to water at

$$100^{\circ}$$
C = $80 + y + 100 y$
= $180 y$ calories

Thus 180 v = 540 x

or
$$\frac{y}{x} = 3$$

Hence the correct choice is (2)

- 11. Ans. (3) $PV^{\gamma} = constant$
- 12. Ans. (2) If a force F is applied to a spring of force constant k and the spring extends by an amount x, then F = kx

The extension x produced in a spring is proportional to its length. Thus, if the spring is cut into three equal pieces, the same force F will produce an extension x/3 in a piece. If k'is the is the force constant of the piece, we have

$$F = k' \times /3$$

Therefore

$$\frac{\mathbf{k'}}{3} = \mathbf{k}$$

or

$$k' = 3k$$

Thus, the force e constant of each piece is 3k. When springs are connected in parallel, the force constant of the combination is equal to the sum of the individual force constants of the springs so connected. Therefore, the force constant of the combination = 3k + 3k + 3k= 9k. Hence correct choice is (2).

13. Ans. (4) The speed of sound wave in the rod is

$$v = \sqrt[4]{\rho} = \sqrt{\frac{2 \times 10^{11}}{8000}} = 5000 \text{ ms}^{-1}$$

Time taken is = $1/5000 = 2 \times 10^{-4}$ s. Hence the correct answer is (4)

14. Ans. (1) Electric field

$$E = -\frac{dV}{dx} = -\frac{d}{dx}(5 + 4x^2) = -8x$$

Force on charge (-q) = -q E = +8q x

At x = 0.5 m, force =
$$8 \times 2 \times 10^{-6} \times 0.5$$

= 8×10^{-6} N

www.easybiologyclass.com

- Print less... Save paper... Save trees... Save our Earth!

 Two systems are in thermal equilibrium with a third system implies that all are at the same, temperature. Hence, they will also be in thermal equilibrium.

 For a ph
- **49.** (3) The u-value of a single brick wall is 3.6 $\mathrm{W}\,\mathrm{m}^{-2}\mathrm{K}^{-1}$

50. (3)
$$\frac{GM_eM}{r^2} = \frac{m\sqrt{r}}{r}$$

$$\Rightarrow v = \sqrt{\frac{GM_e}{r}}$$

$$\therefore \frac{v_1}{v_2} = \sqrt{\frac{r_2}{r_1}} \quad \text{Since } r_1 > r_2, v_2 > v_1$$

- **51.** (3) When a convex lens of glass ($\mu=3/2$) is immersed in water ($\mu=4/3$), its focal length increases. It becomes 4 times. This reduces its power to one-fourth its previous value. But the nature of the lens is not changed in this case. When a lens is immersed in medium whose refractive index is greater than that of the material of the lens, its nature reverses.
- **52.** (4) In the act of refraction it is only the frequency that remains unchanged. Wavelength is related to the refractive index. Thus, both the assertion and the reason are wrong.
- 53. (2) Very high velocities can not be added directly as in classical mechanics because this would lead to a violation of the postulates of relativity. Such velocities are added in accordance with Lorentz transformations. It can be proved that any velocity added to the velocity of light gives velocity of light.

Relativistic mass of photon -

The relativistic momentum of photon is

$$p = \frac{110V}{\sqrt{1 - \left(\frac{v^2}{c^2}\right)}}$$
But
$$p = \frac{h}{\lambda}$$

$$\frac{h}{\lambda} = \frac{m_0 V}{\sqrt{1 - \left(\frac{v^2}{c^2}\right)}}$$

For more question papers, please visit:

$$m_0 = \frac{h}{v\lambda} \sqrt{1 - \left(\frac{v^2}{c^2}\right)}$$

For a photon v = c, then, $m_0 = 0$

- 54. (1) This effect is due to the production of 'eddy currents' in the aluminium disc. They are produced due to the motion of disc in magnetic field. According to Lenz's law they oppose this motion (which is the cause of their production) and eventually bring the disc to a stop.
- 55. (2) Sweeping qual areas in equal time intervals is a consequence of law of conservation of angular momentum. So long as the gravitational force is radial., no torque acts on the planet and the angular momentum is conserved.

It is also true that a planet moves in an elliptical orbit. But this is not the reason of the assertion.

- 56. (1) Balloon rises till the upthrust of air on it is greater than its weight. As the air becomes thinner with height, at height it is reached where upthrust becomes equal to the weight of the balloon. After this stage the balloon does not rise up further.
- 57. (2) The reason is law of inertia (Newton's first law of motion) and not law of action and reaction (Newton's third law of motion).
- **58.** (1) The statements given in the assertion and the reason both are correct in themselves but high ionising power of alpha particles is not due to their positive charge. The greater ionisation power of alpha particles is due to their higher energy than beta particles.
- 59. (1) Velocity of sound in air is given by

$$v = \sqrt{\frac{\gamma P}{d}}$$

The density of water vapours is less that of dry air. Hence, the presence of moisture decreases density *d* of air. This results in increase of velocity of sound.

60. (3) Electrons being much lighter than positive ray particles (ions) are deflected more in a magnetic field.

www.easybiologyclass.com

PART 2. CHEMISTRY Print less... Save paper... Save trees...

1. 26 ml of CO₂ are passed over hot coke.

The maximum volume of CO formed is:

(1) 32 ml (2) 52 ml (3) 15 ml (4) 10 ml

2. Unsuitability of nucleus is due to :

(1) Low proton - electron ratio

(2) High proton - electron ratio

(3) High proton - neutron ratio

(4) High neutron - proton ratio

3. Bohr's atomic theory gave the idea of :

(1) Nucleus

(2) Shape of sub - levels

(3) Quantum numbers

(4) Stationary states.

4. Which has maximum radioactive activitu :

(1) Uranium

(2) Plutonium

(3) Radium

(4) Thorium

5. Overlapping of 2 hybrid orbitals can lead to the formation of :

(1) π - bond

(2) a - bond

(3) Ionic bond

(4) None

6. NF3 is:

(1) Having more dipole moment that NH3

(2) Having low value of dipole moment than NH3

(3) Electrovalent compound

(4) Non - polar compound.

7. The compound having highest boiling point:

(1) CH4

(2) CH₃OH

(3) CH₃Br

(4) CH₃Cl

8. An element A (at. wt. = 75) and B(at. wt. = 25) combine to form a compound. The compound contains 75% A by weight. The formula of the compound will be

(1) AB

(2) AB₃ (3) A₃B (4) A₂B

9. The number of milli equivalents in 100 ml of 0.5 N HCl solution is :

(1)200

 $(2)\ 100$

(3)50

(4)25

ive our Earth! 10. Number of electrons involved in the reduction of Cr2O2- ion in acidic solution to Cr3+ is .

(1)4(2)6

(4)4

11. Stronger the oxidising agent, greater is the :

(3)3

(1) Oxidation potential

(2) Reduction potential

(3) Ionic behavior

(4) None

12. In a reaction 4 mole of electrons are transferred to one mole of HNO3 when it acts as an oxidant. The possible reduction product is:

(1) 1 mole NH₃

(2) 1 mole of NO₂

(3) (1/2) mole N₂O (4) (1/2) mole N₂

13. The volume at NTP occupied by 11 g of CO2 is:

(1) 11.2 litre

(2) 2.8 litre

(3) 5.6 litre

(4) 2. 24 litre

14. Which is not correct for catalyst. It: -

(1) Reduces activation energy of reaction

(2) Specific in nature

(3) Enhances the rate of reaction in both directions

(4) Changes enthalpy of reaction

15. An albumin sol containing sodium chloride as an impurity can best be freed of this impurity by:

(1) Electrophoresis

(2) Dialysis

(3) Precipitation

(4) Filtration.

16. Which reaction gives more products as a result of increase in pressure :

(1)2HI \leftarrow → H₂ + I₂

(2) $2SO_2 + O_2 \leftarrow \rightarrow 2SO_3$

(3) H₂O + CO ← H₂ + CO₂

 $(4) H_2 + Br_2 \leftarrow \rightarrow 2HBr$

:

17. HCl does not behave as acid in :

(1) C₆H₆ (2) NH₃ (3) H₂O (4) None

18. The mixed salt among the following is

(1) Cachint less Savezpapars Save treesSa	ve23! Fathe atomic number of Fair element is				
(3) Mg(OH)Cl (4) All	33, it will be placed in the periodic ta-				
19. If s and S are respectively solubility	ble in the :				
and solubility product of a sparingly sol-	(1) 7th group (2) 5th group				
uble binary electrolyte, then:	(3) 4th group (4) 1st group				
(1) $s = S^{1/2}$ (2) $s = 1/2S$	26. The volume of '10 Vol' of H ₂ O ₂ required to liberate 500 ml O ₂ at NTP is :				
(3) $s = S$ (4) $s = S^2$					
20. An aqueous solution contains a sub-	(1) 125 ml (2) 100 ml				
stance which yields	(3) 25 ml (4) 50 ml				
4×10^{-3} mol litre $^{-1}$ ion of H ₃ O ⁺ .	27. The oxide of which metal is most sta-				
If log 2 is 0.3010 the pH of the solution	ble to heat :				
is:	(1) Ag (2) Hg				
(1) 2.398 (2) 1.5 (3) 3.0 (4) 3.4	(3) K (4) All of these				
21. SOCl ₂ + CH ₃ COOH	28. A hydride of nitrogen which is acidic				
	in nature is:				
\rightarrow CH ₃ COCl+ HCl+ SO ₂	(1) N_3H (2) N_2H_2 (3) N_2H_4 (4) NH_3				
The reaction is endothermic, A 10 de-	29. Which melts in boiling water:				
gree centigrade temperature rise will	(1) Bell metal (2) Monel metal				
cause the reaction ratio to :	(3) Wood's metal (4) Gum metal				
(1) Decrease	30. Nitric acid may be kept in a bottle of:				
(2) Become exactly half+	(1) Sn (2) Al (3) Pb (4) Ag				
(3) Remain unchanged	31. When Zn reacts with very dilute nitric				
(4) Become nearly double 22. An example of a closed system is:	acid it produces :				
생기에게 그러지겠습니다. 나를 맛있어요? 요즘 그렇게요~ 그러졌는데 요즘 가장이 되었다. 아이들 맛요요 아프라니아 아이는 그런데 그렇지만 그렇다는 그를 다 그 그를 다 하는데 그렇다는 그를 다 보니 그를 다 하는데 그렇다는 그를 다 하는데 그를 다 하는데 그렇다는 그를 다 하는데 그렇다는 그를 다 하는데 그를 다 하는데 그렇다는 그를 다 하는데 그렇다는데 그렇다는데 그렇다는데 그렇다는데 그렇다는데 그렇다는데 그렇다는데 그렇다면 그렇다면 그렇다면 그렇다면 그렇다면 그렇다면 그렇다면 그렇다면	$(1)H_2$ (2) NO_2				
 Hot liquid in closed beaker in equilibrium with its vapour 	(3) NH_4NO_3 (4) NO				
(2) Hot liquid in an open beaker	32. Which loses weight on exposure to the				
(3) Hot liquid in a sealed insulated beaker	atmosphere :				
/a/	/4) 4 1 1 4101				

- (1) Anhyd. AlCl₃
- (2) NaOH
- (3) Conc. H₂SO₄
- (4) Saturated aqueous solution of CO2
- 33. The reaction of chlorine with CO in the presence of sunlight gives:
 - (1) H₂C½O₂
- (2) HOC1
- (3) CO₂Cl₂
- (4) COCl₂
- 34. The gas used for inflating the tyres of aeroplanes is:
 - (1) Ar (2) He (3) H₂
- 35. d Block elements are arranged in of periodic table :
 - (1) Six series
- (2) Four series

 $(4) N_2$

- (3) Three series
- (4) Two series.
- 36. Which on mixing gives deep brown colour:

 $H_2(g) + I_2(g) \rightarrow 2HI(g); \Delta H = 12.40 \text{ kcal.}$

24. If 50 ml of A2B3 reacts completely

with 200 ml of C2 in a closed vessel ac-

 $2A_2B_3(g) + 5C_2(g) \rightarrow 3C_3B_2(g) + CA_4(g)$.

The composition of the mixture of gases

(2) 6.20 kcal

 $(4) - 12.4 \, \text{kcal}$

The heat information of HI is:

cording to the equation,

(2) 25 ml C2, 75 ml C3B2, 25ml CA4

(4) None

(1) 12.4 kcal

(3) - 6.20 kcal

23. If

is :

- (3) 75 ml C_2 , 75 ml C_3B_2 , 25 ml CA_4
- (4) 100 ml C2, 50 ml C3B2, 50 ml CA4

Please visit: www.easybiologyclass.com for:

- Lecture Notes
- Biology PPTs
- Biology MCQs
- Online Mock Tests (MCQ)
- Video Tutorials
- Practical Aids
- ➤ Model Question Papers of NET, GATE, DBT, ICMR Exams
- ➤ CSIR NET Life Sciences Previous Year Question Papers
- GATE Previous Year Question Papers
- ➤ DBT BET JRF Previous Year Question Papers
- ➤ ICMR JRF Entrance Exam Resources
- Jobs Notifications
- ➤ Higher Studies in Biology / Life Sciences
- Seminar / Workshop/ Conference Notifications
- ➤ And many more....

Please subscribe our **youtube** channel: **easybiologyclass** https://www.youtube.com/user/easybiologyclass/videos



You can access more PDFs & PPTs from our **Slideshare** account http://www.slideshare.net/EasyBiologyClassEBC/










	Print less (1) NO + O ₂	Save paper Save (2) N ₂ O + O ₂	treesSa	ve our Earth! (3) CH ₂ = CH ₂	EBC (4) CH ₃ CH ₂ CH ₃		
	market and the second	(4) None			, 2 3 45 글루45		
		Zn/CH ₃ COOH	1	39. The structural formula of the com- pound which yields ethylene upon reac- tion with zinc is:			
37	CH = CH →						
	Y.		1	(1) CHBr - CHBr	(2) CHBr ₂ - CHBr ₂		
	Y is				(4) None		
	(1) CH ₃ OH	(2) CH ₃ COOH	1.		tment with potassium		
	(3) CH ₃ CH ₂ OH	(4) CH ₂ OH - CH ₂	Commence of the Commence of th	hydrogen sulphate			
	. Which is expecte	E8		(1) Acraldehyde	(2) Acrylic acid		
	ily with bromine :			(3) Propane	(4) Ethanol		
	(1) $CH_3 - CH = CH_2$	(2) CH = CH			* 5 *		
§					he 'Assertion (A)' and		
				e these statements co			
	(1) If both assertion and reason are true statements and the reason is a correct explanation of the assertion						
		n and reason are tri	ie statem	ents but reason is not a c	correct explanation of the		
	assertion	and readen are in	ac olatem		correct explanation of the		
	(3) If the assertion	is true but the reason	on is a fals	se statement			
	(4) If both assertio	n and reason are fa	lse statem	ents.			
41.	Assertion (A) : Wa	ter is specially effect	ctive in	Reason (R): The force	e of ionic interactions de-		
	screening the electro	static interactions b	oetween	pends upon the dielectric constant (ϵ) of the sol-			
	the dissolved ions.			vent.			
	(1)	(2)	(3)	(4)			
42.	Assertion (A): The			four hydrogen bonds as each molecule is fixed in			
	ment of the orbitals at						
	with as many as four						
	cules.						
	(1)	(2)	(3)	(4)			
43.	Assertion (A): Meth				ic acid is a stronger acid		
	ric chloride to merci		heating	than ethanoic acid.			
	while ethanoic acid do		(0)	(4)			
11	(1)	(2)	(3)	(4)			
44.	 Assertion (A): Phenol undergoes Kolbe's reaction whereas ethanol does not. 		s reac-	ethoxide ion.	le ion is more basic than		
	(1)	(2)	(3)	(4)			
45.	Assertion (A): The	10			olume is directly propor-		
	versely proportional to its volume at constant						
	temperature and n.			sure.	¥1		
	(1)	(2)	(3)	(4)			
46.	Assertion (A) : Th				dation numbers do not		
artificial, they are useful as a 'book-keeping' device of electrons in reactions.			eping	usually represent real charges on atoms, they are simply conventions that indicate what the			
	device of electrons in	reactions.			ald possibly be on an		
		80		atom in a molecule.	poo, oo o ali		

www.easybiologyclass.com

For more question papers, please visit:



Print less... Say2)paper... Save trees.... (3) ye our Earth!

47. Assertion (A): As mole is the basic chemical

(1)

EBC

(4)

131

(1)

(2) (3)

58. Assertion (A): The carbonic acid is stronger acid than phenol.

(1) (2)(3)

59. Assertion (A): When a concentrated solution is diluted by adding more water, the number of moles of solute in the solution remains unchanged.

(1)

60. Assertion (A): ${}_{14}Si^{30}$, ${}_{15}P^{31}$ and ${}_{16}S^{32}$ are a group of isotones.

(1) (2) (3) (4)

Reason (R): The hybrid of bicarbonate ion has two equivalent contributing structures. while hybrid of phenoxide ion does not contain such equivalent contributing structures.

Reason (R): Number of moles of a solute is equal to the product of molarity and volume of solution in litres.

(4)

Reason (R): Isotones are atoms of different elements having different mass numbers and atomic numbers but same number of neutrons in their nuclei.

(4)

ANSWERS WITH HINTS & EXPLANATIONS

1. Ans. (2) CO₂ + C → 2CO

2. Ans. (4) n/p>1.5 leads to unstable nucleus.

3. Ans. (4) Stationary states.

4. Ans. (3) Ra is most radioactive element.

5. Ans. (2) Hybrid orbitals always from σ - bond.

- 6. Ans. (2) Inspite of three polar bond, the lone pair of electron on N atom decreases the dipole moment of NF3 than NH3
- 7. Ans. (2) Due to H-bonding.
- **8.** Ans. (1) g atom of A = $\frac{75}{75}$ = 1;

g atoms of B = 25/25:

:. Ratio of g atoms of A & B = 1:1

9. Ans. (3) Meq. = $100 \times 0.5 = 50$

10. Ans. (2) $Cr_2^{6+} + 6e \rightarrow 2Cr_3^{3+}$

11. Ans. (2) More is EOP, more is the tendency to get itself oxidised, more is reducing nature.

- 12. Ans. (3) $4e + N^{5+} \rightarrow N^{1+}$ product is N2O
- Ans. (3) 44 g CO₂ occupies 22.4 litre at NTP.
- 14. Ans. (4) Catalyst does not make the reaction more exothermic or endothermic.
- 15. Ans. (2) Separation of soluble impurities from sol in followed by dialysis.
- 16. Ans. (2) An increase in P favours the reaction showing decrease in volume.
- 17. Ans. (1) C₆H₆ is not capable of accepting proton.
- 18. Ans. (4) A mixed salt is one which furnishes two types of cations or anions.
- 19. Ans. (1) $S = s^2$: $s = \sqrt{S}$ for electrolytes like AgCl, AgBr or AB type.

20. Ans. (1) $[H^+] = 4 \times 10^{-3} \text{ M}$ $\therefore pH = -\log 4 \times 10^{-3} = 2.393$

EBC

thrice for each 10°C rise in temperature and therefore the rate also changes accordingly.

- Ans. (1) A closed system can exchange energy from its surroundings.
- 23. Ans. (2) Heat of formation

$$=\frac{12.40}{2}=6.20$$
kcal

- 24. Ans. (3) The mole ratio is 2:5::3:1

 Reaction Product
- **25**. Ans. (2) The short hand notation for 33 is, [Ar] $3d^{10} 4s^2 4p^3$
- **26**. Ans. (4) 10 vol. H_2O_2 means that 1 ml H_2O_2 gives 10 ml O_2 .; Thus 50 ml H_2O_2 will give 500 ml O_2 .
- Ans. (3) Ag and Hg oxides decompose on heating.
- 28. Ans. (1) N₃H is called hydrazoic acid.
- 29. Ans. (3) Wood metal has m.pt. 71°C
- Ans. (2) Only Al among these does not react with HNO₃.
- 31. Ans. (3)

- 32. Ans. (4) CO2 gets evaporated slowly.
- 33. Ans. (4) CO + $Cl_2 \rightarrow COCl_2$
- Ans. (2) He is lightest (after H₂), non inflammable gas.
- **35**. Ans. (2) 3d, 4d and 5d series are complete and 6d series incomplete.
- **36**. Ans. (1) $2NO + O_2 \rightarrow 2NO_2$ (brown)
- 37. Ans. (4)

$$CH = CH \xrightarrow{\text{ozonolysis}} CHO \cdot CHO$$

reduction

 $CH_2OH \cdot CH_2OH$

38. Ans. (3) Alkenes are more reactive than alkynes towards addition reaction also ethene is most reactive alkene.

For more question papers, please visit:

$$Z_n$$

 $CH_2Br \sim CH_2Br \longrightarrow CH_2 = CH_2 + Z_nBr_2$

- 40. Ans. (1) KHSO₄ is dehydrating agent.
- 41. (1) The strength of the force (F) of the ionic interaction depends, upon the magnitude of charges (Q), the distance between them and the dielectric constant of solvent as

$$F = \frac{Q_1 Q_2}{\epsilon r^2}$$

Water has high value for ε and thus screens the interactions between ions more effectively.

- 42.(1) At any given instant in liquid water at room temperature, each water molecule forms hydrogen bonds with an average 3.4 other water molecules. The H₂O molecules are in continuous motion so hydrogen bonds are constantly and rapidly broken and formed. In ice H₂O molecules are, however fixed in the space lattice.
- **43.** (2) Methanoic acid reduces mercuric chloride as:

$$HCOOH + 2HgC_2$$

 $\rightarrow CO_2 + 2HC_1 + Hg_2C_2$

Ethanoic acid does not react with HgCl₂

Since alkyl groups are electron releasing their presence in the molecule will decrease the acidity. Thus methanoic acid (HCOOH) is about 10 times stronger than ethanoic acid (CH₃COOH).

44. (3) Kolbe's Reaction:

Ethanol does not undergo this reaction.

Phenol is a stronger acid than ethanol. Hence the conjugate base (Phenoxide) will be weaker base than ethoxide ion.

47. (2) The number of moles of a solute present in a litre of solution is known as molarity (M).

The total number of molecules of reactants present in a balanced chemical equation is known as molecularity. For example

www.easybiologyclass.com

PCI 5 PCI 3 + Cl2 (Unimolecular) Save trees....Save our Earth! Spectral line can be seen only when elec-

2HCl → H₂ + I₂ (Bimolecular)

Therefore, molarity and molecularity are used in different sense

48. (3) Isobars are the atoms of the different elements having same atomic weight or mass number. It means the sum of protons and neutrons will be same. Atomic number of isobars are different

Hence, (A) is correct and (R) is wrong.

49. (1) 3Pb + 8HNO₃

$$\rightarrow$$
 3PB²⁺ + 6NO₃ + 2NO + 4H₂O

 $2NO + O_2 \rightarrow 2NO_2$ Colourless

- 50. (4) The presence of electron releasing group like - CH3 at para position increases the basic strength. On the other hand the electron withdrawing - NO2 group decreases the basic strength. Hence p- nitroaniline is weaker base than p - toluidine.
- 51. (3) Due to the presence of hydrogen bonding between H2O and C2H5OH the inter molecular attraction increases, therefore after mixing these two compound their volume of mixing decreases from expected volume.
- 52. (3) The SnClo molecule is 'V' shaped and the hybridizaton involved in it is sp²
- 53. (1) A reddish brown crust of potassium hydrogen tartrate, known as argol, is deposited during the fermentation of grape juice.
- 54. (1) According to Pauli's exclusion principle no two electrons in an atom can have same set of all the four quantum numbers. From this it follows that an orbital cannot have more than two electrons. If an orbital has two electrons then they have opposite spins.

- tron jumps from higher energy level to lower energy level. But 2px and 2pv are the different configuration of same energy level.
- 56. (1) The general formula of alkene is C_nH_{2n} and the general formula of cycloalkane is also C_nH_{2 n}. It is due to the formation of cyclic structure, carbon chain loses hudrogen atom from both end and become cycloalkane. This loss of two hydrogen atom gives the general formula CnHon
- 57. (3) It is true that solubility of alcohols decreases as the molecular weight of alcohol increases, it is due to the fact that bulky alkul group pumps electron towards electronegative oxygen atom (+ I effect). This increase in electron cloud over oxygen atom, decrease the tendency of formation of hydrogen bond. hence, solubility decreases.
- **58.** (1) The phenoxide ion $C_6H_5-O^-$, does not have any contributing structure but HCO3 ion has two contributing structure, that is why H₂CO₃ is stronger acid than C₆H₅OH
- 59. (1) It is true that number of solute never changes after dilution because number of moles of solute

 $= \frac{\text{No. of moles of solute} \times \text{volume in (L)}}{\text{volume in (L)}}$

60. (1)Different atoms when contain same number of neutrons are called isotones.

14Si30, 15 P31 and 16S32 are isotones, because all of these contains 16 neutrons.

Atomic mass = n + psince.

n = atomic mass - p... For $Si \rightarrow 30 - 14 = 16$

 $P \rightarrow 31 - 15 = 16$

 $S \rightarrow 32 - 16 = 16$

Print less... Save paper... Save trees ... Save our Earth!

- The main difference between chlorophyll 'a' and 'b' is
 - Chlorophyll 'a' has no Mg⁺ ion in centre of molecule
 - (2) Chlorophyll 'a' is linear chain compound and 'b' is brached chain
 - (3) In chlorophyll 'a' there is CH₃ group whereas in 'b' it is CHO group
 - (4) All of the above
- 2. Loops of lampbrush chromosome are composed of
 - (1) Protein and RNA
 - (2) Double helix DNA only
 - (3) Double helix DNA, protein and RNA
 - (4) Single stranded DNA, protein and RNA
- 3. In F₂ generation of monohybrid cross the cause of 1:2:1 phenotypic ratio is
 - (1) Inhibition
 - (2) Epistatics
 - (3) Incomplete dominance
 - (4) Quantitative inheritance
- The evidence that crossing over occurs at four stranded stage and not at two stranded stage of the chromosomes, comes from
 - (1) Studies of meiosis in maize
 - (2) Studies on linkage maps of chromosomes in Drosophila
 - (3) 4: 4 arrangement of ascospores in Neurospora
 - (4) 2:2:2 arrangement of ascospores in Neurospora
- 5. Why mycoplasma is pleuomorphic
 - (1) Due to the presence of sterol
 - (2) Due to absence of cell wall
 - (3) Due to presence of three layered cell membrane
 - (4) None of these
- 6. Heterotropic nutrition is found in
 - (1) Pistia
- (2) Vallisnaria
- (3) Drosera
- (4) Opuntia
- 7. Pteridophytes are also called

- (1) Ctyptogames
- (2) Phanerogames
- (3) Amphibian of plant kingdom
- (4) Vascular cryptogames
- Which one of the following normally have cross pollination but are adapted for self pollination
 - (1) Wheat
- (2) Sunflower
- (3) China rose
- (4) Mustard
- 9. Number of nuclei taking part in double fertilization is
 - (1)5
- (2)4
- (3) 3
- (4) 2
- 10. Secondary was is not formed in
 - (1) Companion cells (2) Collenchyma
 - (3) Parenchyma
- (4) All the above
- 11. Tracheids of angiospems are recognised by the presence of
 - (1) Scalaiform perforation plates
 - (2) Scalaiform thickening
 - (3) Bordered pits (4) None of the above
- 12. Which of the following is fertilizer
 - (1) Urea
- (2) Ammonium chloride
- (3) Calcium citrate
- (4) Calcium carbonate
- 13. The conducting tissues of the plants are
 - (1) Sclerenchyma
 - (2) Phloem
- (3) Xylem
- (4) Xylem and phloem both
- 14. Pollen grains of some of the plants germinate on stigma soon but they burst in water or dilute sugar solution
 - (1) Plasmolysis
- (2) Imbibition
- (3) Endosmosis
- (4) Exosmosis
- 15. Which of the following is responsible for rapid loss of water from plant
 - (1) Water vapour saturation deficit
 - (2) Water vapour saturation of air
 - (3) More available soil water to the plant
 - (4) None of the above
- 16. Who invented the enhancement effect on photosynthesis
 - (1) Arnon
- (2) Emerson

- (3) Calviffrint less... Save Dauben Save trees....Save out Earthcoid (2) Meckells Cartilage 17. Who received the Nobel Prize for work-(3) Angulo-splenial (4) None of the above ing out the early carbon pathway of pho-26. Which of the following bone is a fatosynthesis (1) Watson (2) Khorana tissue? (3) Krebs (4) Calvin (1) Radius (2) Vertebral column 18. The number of molecules of pyruvic (3) Cranium (4) Sternum acid formed from one molecule of glu-27. Certain B vitamins act as: cose at the end of glycolysis is (1) Hormones (2) Digestive substance (1)4(2)3(3) 1(4) 2 (3) Co-enzumes (4) Enzumes 19. End product of anaerobic respiration is 28. When partial pressure of CO2 rises. (1) Puruvic acid the oxygen dissociation curve of haemo-(2) Glucose globin at 37°C will: (3) Ethyl alcohol and CO₂ (1) remain unchanged (4) None of the above (2) become irregular (3) shift towards left 20. Acetyl CoA enzyme belongs to (4) shift towards right (1) Hydrolase (2) Desmolase 29. In a normal man, the amount of blood (4) Synthetase (3) Isomerase put out by heart per minute is: 21. Indicator plants which can be used to (1) 3 litres (2) 1 litre (3) 5 litres (4) 4 litres indicate atmospheric pollution by SO₂ are: monotelic because: (1) Climbers like Cucurbita (1) these get less light (2) Lichens like Usnea (2) water contains less nitrogen (3) Moss like Sphagnum (3) excretion of ammonia requires large (4) Grassland like Deschampsia amount of water which is available to these animals 22. Deforestation may reduce the chances of: (4) ammonia helps in checking inflow of water into bodu (1) erosion of surface soil 31. Heart beat is regulated by the working (2) frequent landslides
 - (3) rainfall
 - (4) frequent cyclones
- 23. Which of the following show the least constancy of shape?
 - (1) Leucocytes
- (2) Visceral muscle cells
- (3) Neurons
- (4) Eruthrocutes
- 24. Shivering in cold is a method for:
 - (1) preventing radiation of heat from the body
 - (2) production of heat by bringing more blood to the body surface
 - (3) production of heat by muscluar contractions

For more question papers, please visit:

- (4) none of these
- 25. Lower jaw of tadpole is formed by:

voured site for obtaining haemopoletic

30. Aquatic animals are mostly am-

- of:
 - (1) Midbrain
- (2) Diencephalon
- (3) Cerebrum
- (4) Medulla oblongata
- 32. Scala vestibuli and scala media contain respectively:
 - (1) Perilymph only (2) Endolymph only
 - (3) Perilymph and endolymph
 - (4) Endolymph and perilymph
- 33. Which endocrine gland stores its secretion in the extracellular space before discharging it into the blood?
 - (1) Testis
- (2) Pancreas
- (3) Adrenal
- (4) Thyroid
- 34. Testes of rabbit occur:
 - (1) in scrotal sacs
- (2) on side of kidney

(3) insidering less... Save paper... Save trees.... Savg 7 !! Lawshof inheritance were ERC by:

(4) on either side of dorsal aorta

35. During fertilization, the enzyme which facilitates penetration of the egg by the spermatozoan is:

(1) acetylcholineasterase

(2) alkaline phosphatase

(3) acid phosphatase

(4) hyaluronidase

36. During regeneration, the following takes place:

(i) cell division

(ii) dedifferentiation

(iii) cell movement

(iv) tissue differentiation

The correct sequence is:

(1) (ii), (i), (iii), (iv) (2) (i), (ii), (iii), (iv)

(3) (i), (iii), (ii), (iv) (4) (iii), (ii), (i), (iv)

(1) Mendel

(2) Darwin

(3) Khorana

(4) Lamarck

38. Chromosomes concerned with sex determination are:

(1) Oxysomes

(2) B-chromosomes

(3) Autosomes

(4) Heterosomes

Semiconservative DNA replication was first demonstrated by:

(1) Watson and Crick

(2) Khorana

(3) Meselson and Stahl

(4) Taylor

40. Which chromosome set is found in male grasshopper?

(1) XX

(2) YY

(3) X

(4) XY

§ Directions Q41 to 60 consists of two statements, one labelled the 'Assertion (A)' and the other labelled the 'Reason (R)'. Examine these statements carefully and decide if

(1) If both assertion and reason are true statements and the reason is a correct explanation of the assertion

(2) If both assertion and reason are true statements but reason is not a correct explanation of the assertion

(3) If the assertion is true but the reason is a false statement

(4) If both assertion and reason are false statements.

41. Assertion (A): The chewing and lapping mouth parts consist of a long tounge which is formed from the glossae of the labium.

42. Assertion (A): Left-handed DNA is known as B-DNA.

43. Assertion (A): Translocations involve shifting, not deleting or adding genetic material which can cause chromosomal defects when gametes are formed.

Assertion (A): They form mutualistic, commensalistic, or parasitic relationships.

45. Assertion (A): The sustaining surface for the gliding in certain animals, is a fold or series of folds of the skin known as patagium.

46. Assertion (A): Pyramid of energy shows energy accumulation pattern at different trophic levels.

Reason (R): The galeae are much elongated and coiled, each forming a half tube, which makes complete tube when both are locked together.

Reason (R): Right-handed DNA is known as Z-DNA.

Reason (R): Translocations involve transfers of genetic material between homologous chromosomes.

Reason (R): Heterotrophs may not be free living or symbiotic.

Reason (R): The gliding flights are performed by arboreal animals.

Reason (R): There is a gradual increase in the energy content at successive trophic level from producer to consumer.

- 47. Assertion (A): In placental mammals the placenta is connected to the embryo by the umblical cord and has an essential role in the immunological protection of the embryo.
- 48. Assertion (A): The adult gametophyte is the conspicuous leafy green, photosynthetic plant popularly called moss.
- Assertion (A): Histone proteins are synthesized during the S-phase when DNA synthesis occurs.
- Assertion (A): Reduction division, in Selaginella, occurs during microspore formation only.
- Assertion (A): The conjunctiva is thin, little cornified and richly supplied with free nerve endings.
- 52. Assertion (A): The water molecules are help together from mesophyll cells to the root hairs because of cohesive force.
- 53. Assertion (A): Vitamin A is 11-cis-retinal, the lipid prosthetic group of the protein opsin in visual purple. Its deficiency affects all tissues, but the eyes are most readily affected.
- Assertion (A): Monocot stem has collateral open vascular bundle.
- Assertion (A): Cartilage (protein matrix) ad bone (calcium matrix) are rigid connective tissues.
- 56. Assertion (A): G₂ phase is mainly concerned with protein synthesis and RNA synthesis.
- 57 . Assertion (A): Indentical twins are produced during two births, resulting from the division of a single fertilized egg.
- Assertion (A): If you burn a plant, its nitrogen component is given off as ammonia and other gases.
- 59. Assertion (A): In a metabolic reaction with a negative ΔG, the products contain less free energy than the reactants, energy is released and entropy increases.
- 60. Assertion (A): A protein that cycles in quantity as the cell cycle progress; combines with and activates the kinases that function to promote the events of the cycle.

- Reason (R): In mammals foetal components of the placenta derive initially from the chondroblast connected with embryonic derive initially from he chondroblast connected with embryonic blood stream either through its contact with the yolk sac.
- **Reason** (R): The mosses, like liverworts, do not exhibit alteraction of generation.
- **Reason (R)**: Histone proteins form an association with DNA to form nucleosome.
- Reason (R): It has been proved experimentally by Zacharich in 1963.
- Reason (R): Conjunctiva is composed of squamous epithelium and is continuous with the dermis that lines the eyelids.
- **Reason (R)**: Water does not ascend in the plant because of transpiration pull.
- Reason (R): Youngs lacking a liver store of this vitamin are most affected by deficiency, which causes Xeropthalmia in human infants and young children.
- Reason (R): If the cambium is absent such vascular bundle is called open type.
- Reason (R) Blood is connective tissue in which plasma is the matrix.
- **Reason (R)**: Photosystem-1 is situated on the inner surface of thylakoid.
- Reason (R): They are of the different sex and otherwise genetically identical.
- Reason (R): Hydroponics does not allow plants to grow well if they are supplied with all the mineral nutrients they need.
- Reason (R): Such negative ΔG reaction is spontaneous because it occurs without an input of energy.
- Reason (R): A microtubule structure that brings about chromosomal movement during cell division is called kinetochore.

- 1.(3) 2.(2) 3.(3) 4.(4) 5.(2) 6.(3) 7.(4) 8.(2) 9.(1) 10.(3) 11.(4) 12.(1)
- 13.(4) 14.(3) 15.(1) 16.(2) 17.(4) 18.(4) 19.(3) 20.(4) 21. (2) 22. (3) 23.
- (1) 24. (3) 25. (2) 26. (4) 27. (3) 28. (4) 29. (3) 30. (3) 31. (4) 32. (3)
- 33. (4) 34. (1) 35. (4) 36. (1) 37. (1) 38. (4) 39. (3) 40. (3) 41.(3) 42.(4)
- 43.(3) 44.(3) 45.(3) 46.(3) 47.(3) 48.(3) 49.(2) 50.(4) 51.(3) 52.(3)
- 53.(1) 54.(4) 55.(2) 56.(4) 57.(4) 58.(3) 59.(1) 60.(3)

EXPLANATIONS

- Chlorophyll 'a' is the most abundant photosynthetic pigment and is the only pigment found in all photosynthetic plants
- Lampbrush chromosomes were first discovered by Flemming in amphibian oocytes
- During incomplete dominance the recessive gene dilutes the dominant character and produces an intermediate character e.g.. 4 O' clock plant pink flowers from red and white flowers
- 4. It was made possible by tetrad analysis
- Due to absence of cell wall structural rigidity is absent
- 6. Drosera is insectivorous plant
- They are called cryptogams because of naked seeds and are called vascular because of differentiation to some extent of vascular tissues
- Two during syngamy and three during triple fertilization
- 11. These are characters of vessels
- 12. Rest are salts
- By Endosmosis they take the water inside and thus burst
- Fructose -1, 6 -diphosphate breaks into Dihydroxyacetone and glyceraldehyde and each yield one molecule of pyruvic acid
- 20. Because it helps in the synthesis of citric acid during kreb's cycle
- 22. Because due to deforestation water loss in the atmosphere is reduced as plants are less in number to transpire.

- 27. FAD and FMN contain Riboflavin (Vit. B₂) as a coenzyme as hydrogen acceptor.
- 28. Rise in pCO₂ will leads to lowering of pO₂ and thus % saturation of haemoglobin with oxygen will be lesser there by shifting the oxygen dissociation curve of haemoglobin to right
- 30. Animals consuming less water are urotellic
- 35. Sperm penetrates the egg by the help of enzymes of hydrolase class which breaks the outer shell of egg
- Regeneration is the capacity of body to produce the lost part by proliferation of cells
- 38. Heterosomes are found on the males e.g., Y chromosomes which are responsible for sex determination.
- 41. (3) In chewing lapping mouth parts a temporary food channel is formed by proboscis, galeae and labial palps filling together.
- (4) Left-handed and right-handed DNAs are respectively known as Z-DNA and B-DNA.
- 43. Translocation of genetic material between non homologous chromosomes. Translocations may take a number of forms; the most common form involves a single break in each of two chromosomes and an exchange of broken pieces.
- 44. (3) Heterotrophs may be free-living or symbiotic, meaning that they form mutualistic, commensalistic or parasitic relationships.

- lant adaptations. The gliding flights are performed with the help of patagium by various lizards e.g., flying dragon.
- 46. (3) There is a gradual decrease in the energy content at successive trophic level from producers to consumers.
- 47. (3) In mammals foetal components of two placenta derive initially from the trophoblast connected with embryonic blood stream either through its contact with the volk sac.
- 48. (3) The mosses, like the liverworts, exhibit a well-defined alternation of generations between gametophyte phase, whose cells contain a single set of chromosomes (n), and a sporophyte phase, whose cells contain a double set of chromosomes (2n).
- 49. (2) Histones are basic proteins of major importance in packaging of eukaryotic DNA. DNA and histones together comprise chromatin, forming the bulk of the eukaryotic chromosome. Histones are of five major types. H1, H2A and H2B are lysine rich; H3 and H4 arginine-rich, H₁ units link neighbouring nucleosomes while the others are elements of nucleosome structure. Histone proteins are synthesized during the S-phase when DNA synthesis occurs.
- 50. (4) In Selaginella, reduction division occurs during formation of both microspores and megaspores.

- 45. (3) Patagitum is sconsexwed with flight prevo. \$a5d o(3) [Configurativa is composed of stratified epithelium and in continuous with the epidermis, the lines the eyelids.
 - 52. (3) According to cohesive-adhesive force theory of water molecules, water ascends in the plant because of transpiration pull and column of water remains continuous because of cohesive force of water molecules.
 - 53. (1)
 - 54. (4) Monocot stem has collateral closed vascular bundles. In monocot stem, cambium is absent such vascular bundles are called closed.
 - 55. (2)
 - 56. (4) Proteins and RNAs are synthesised in G1 phase during interphase. The photosystem-1 is located on the outer surface of the thulakoid.
 - 57. (4) Identical twins are produced during one birth, resulting from the division of a single fertilized egg. They are of the different sex and genetically identical.
 - 58. (3) The preferred method for determining the mineral requirements of a plant is called hydroponics (or water culture). Hydroponics allows plants to grow well if they are supplied with all the mineral nutrients they need.
 - 59. (1)
 - 60. (3) A microtubule structure that brings about chromosomal movement during cell division is called spindle.

PART 4. GENERAL KNOWLEDGE

- 1. Who was the first non Indian to receive the Bharat Ratna?
 - (1) Martin Luther King
 - (2) Zubin Mehta
 - (3) Mother Teresa
 - (4) Khan Abdul Ghaffar Khan
- 2. The Satanic Verses' is a book written by
 - (1) Keri Hulme
- (2) Salman Rushdie
- (3) Deniel Pipes
- (4) Shaul Bakhash
- 3. Who among the following got the Nobel Prize for the discovery of neutron?

- (1) James Chadwick (2) J.J. Thomson
- (3) C.V. Raman
- (4) Niel Bohr
- 4. Who produced the first automobile?
 - (1) Rudolf Diesel
- (2) Carl Benz
- (3) Henry Ford
- (4) Gottleib Daimler
- 5. Kathakali is a dance of
 - (1) Tamil Nadu
- (2) Kerala
- (3) Uttar Pradesh
- (4) Manipur
- 6. The first Asian Games were help in
 - (1) Seoul
- (2) New Delhi

ANSWERS

(3) Greeks

1.(4) 2.(2) 3.(1) 4.(2) 5.(2) 6.(2) 7.(1) 8.(1) 9.(3) 10.(1) 11.(4) 12.(3) 13.(4) 14.(2) 15.(3) 16.(4) 17.(3) 18.(3) 19.(3) 20.(2).

13. 'March 8' is celebrated as (1) World Health Day (2) National Integration Day

(4) Egyptians

Please visit: www.easybiologyclass.com for:

- Lecture Notes
- Biology PPTs
- Biology MCQs
- Online Mock Tests (MCQ)
- Video Tutorials
- Practical Aids
- ➤ Model Question Papers of NET, GATE, DBT, ICMR Exams
- ➤ CSIR NET Life Sciences Previous Year Question Papers
- GATE Previous Year Question Papers
- ➤ DBT BET JRF Previous Year Question Papers
- ➤ ICMR JRF Entrance Exam Resources
- > Jobs Notifications
- ➤ Higher Studies in Biology / Life Sciences
- Seminar / Workshop/ Conference Notifications
- ➤ And many more....

Please subscribe our **youtube** channel: **easybiologyclass** https://www.youtube.com/user/easybiologyclass/videos



You can access more PDFs & PPTs from our **Slideshare** account http://www.slideshare.net/EasyBiologyClassEBC/









Please visit: www.easybiologyclass.com for:

- Lecture Notes
- Biology PPTs
- Biology MCQs
- Online Mock Tests (MCQ)
- Video Tutorials
- Practical Aids
- ➤ Model Question Papers of NET, GATE, DBT, ICMR Exams
- ➤ CSIR NET Life Sciences Previous Year Question Papers
- GATE Previous Year Question Papers
- ➤ DBT BET JRF Previous Year Question Papers
- ➤ ICMR JRF Entrance Exam Resources
- > Jobs Notifications
- ➤ Higher Studies in Biology / Life Sciences
- Seminar / Workshop/ Conference Notifications
- ➤ And many more....

Please subscribe our **youtube** channel: **easybiologyclass** https://www.youtube.com/user/easybiologyclass/videos



You can access more PDFs & PPTs from our **Slideshare** account http://www.slideshare.net/EasyBiologyClassEBC/







