

Previous Year Question Paper of NEET (AIPMT) Exams

NEET 2021

Original Question Paper with Answer Key (NTA)

NATIONAL ELIGIBILITY CUM ENTRANCE TEST (UG)



For more question papers, please visit: <u>www.easybiologyclass.com</u>

Test Booklet Code

M4

AGAJHA

No.:

This Booklet contains 28 pages.

Do not open this Test Booklet until you are asked to do so.

Important Instructions:

- 1. The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on OFFICE Copy carefully with **blue/black** ball point pen only.
- 2. The test is of **3 hours** duration and the Test Booklet contains **200** multiple-choice questions (four options with a single correct answer) from **Physics**, **Chemistry and Biology (Botany and Zoology)**. **50** questions in each subject are divided into **two Sections (A and B)** as per details given below:
 - (a) **Section A** shall consist of **35 (Thirty-five)** Questions in each subject (Question Nos 1 to 35, 51 to 85, 101 to 135 and 151 to 185). All questions are compulsory.
 - (b) Section B shall consist of 15 (Fifteen) questions in each subject (Question Nos 36 to 50, 86 to 100, 136 to 150 and 186 to 200). In Section B, a candidate needs to attempt any 10 (Ten) questions out of 15 (Fifteen) in each subject.

Candidates are advised to read all 15 questions in each subject of Section B before they start attempting the question paper. In the event of a candidate attempting more than ten questions, the first ten questions answered by the candidate shall be evaluated.

- 3. Each question carries 4 marks. For each correct response, the candidate will get 4 marks. For each incorrect response, **one** mark will be deducted from the total scores. **The maximum marks are 720.**
- 4. Use **Blue/Black Ball Point Pen only** for writing particulars on this page/marking responses on Answer Sheet.
- 5. Rough work is to be done in the space provided for this purpose in the Test Booklet only.
- 6. On completion of the test, the candidate **must hand over the Answer Sheet (ORIGINAL and OFFICE Copy) to the Invigilator** before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.
- 7. The CODE for this Booklet is M4. Make sure that the CODE printed on the Original Copy of the Answer Sheet is the same as that on this Test Booklet. In case of discrepancy, the candidate should immediately report the matter to the Invigilator for replacement of both the Test Booklet and the Answer Sheet.
- 8. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/Answer Sheet.
- 9. Use of white fluid for correction is **NOT** permissible on the Answer Sheet.
- 10. Each candidate must show on-demand his/her Admit Card to the Invigilator.
- 11. No candidate, without special permission of the centre Superintendent or Invigilator, would leave his/her seat.
- 12. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign (with time) the Attendance Sheet twice. Cases, where a candidate has not signed the Attendance Sheet second time, will be deemed not to have handed over the Answer Sheet and dealt with as an Unfair Means case.
- 13. Use of Electronic/Manual Calculator is prohibited.
- 14. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Room/Hall. All cases of unfair means will be dealt with as per the Rules and Regulations of this examination.
- 15. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
- 16. The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.

Name of the Ca	ndidate (in Capitals) :	
	: in figures	
Centre of Exam	ination (in Capitals) :	
Candidate's Sig	gnature :	Invigilator's Signature :
Facsimile sign	<u>-</u>	

- 8. A convex lens 'A' of focal length 20 cm and a concave lens 'B' of focal length 5 cm are kept along the same axis with a distance 'd' between them. If a parallel beam of light falling on 'A' leaves 'B' as a parallel beam, then the distance 'd' in cm will be:
 - (1)
 - (2)15
 - (3)50
 - (4)30

Ans. 2

3

- 9. If force [F], acceleration [A] and time [T] are chosen as the fundamental physical quantities. Find the dimensions of energy.
 - [F][A][T] (1)
 - $[F][A][T^2]$ (2)
 - $[F][A][T^{-1}]$ (3)
 - $[F][A^{-1}][T]$ (4)

Ans. 2

- A cup of coffee cools from 90°C to 80°C in t minutes, 10. when the room temperature is 20°C. The time taken by a similar cup of coffee to cool from 80°C to 60°C at a room temperature same at 20°C is:
 - (1)
 - (2)
 - (3)
 - **(4)**

Ans. 2

- 11. A particle is released from height S from the surface of the Earth. At a certain height its kinetic energy is three times its potential energy. The height from the surface of earth and the speed of the particle at that instant are respectively:
 - (1)
 - $\frac{S}{4}$, $\frac{\sqrt{3gS}}{2}$
 - $\frac{\mathrm{S}}{2}$, $\frac{\sqrt{3\mathrm{gS}}}{2}$
 - (4) Print Less... Save Paper... Save Paper

12. The velocity of a small ball of mass M and density d, when dropped in a container filled with glycerine becomes constant after some time. If the density

of glycerine is $\frac{d}{2}$, then the viscous force acting on

- (1)
- (2)
- $\frac{3}{2}$ Mg (3)
- 2Mg(4)
- For a plane electromagnetic wave propagating in 13. x-direction, which one of the following combination gives the correct possible directions for electric field (E) and magnetic field (B) respectively?

 - $-\hat{j}+\hat{k}, -\hat{j}-\hat{k}$
 - $\stackrel{\wedge}{i} + \stackrel{\wedge}{k} = \stackrel{\wedge}{i} \stackrel{\wedge}{k}$
 - $\stackrel{\wedge}{-i+k} \stackrel{\wedge}{-i+k}$

Ans. 2

M4

Column - I gives certain physical terms associated 14. with flow of current through a metallic conductor. Column - II gives some mathematical relations involving electrical quantities. Column - I and Column - II with appropriate relations.

Column - I	Column - II

- (A) **Drift Velocity**

 nev_d

Ans. 1

- (B) **Electrical Resistivity**
- (R) (C) Relaxation Period
- \mathbf{E} (D) Current Density Ţ
- (1) (A)-(R), (B)-(S), (C)-(P), (D)-(Q)
- (A)-(R), (B)-(S), (C)-(Q), (D)-(P)(2)
- (A)-(R), (B)-(P), (C)-(S), (D)-(Q)(3)
 - (A)-(R), (B)-(Q), (C)-(S), (D)-(P)
- 15. A spring is stretched by 5 cm by a force 10 N. The time period of the oscillations when a mass of 2 kg is suspended by it is:
 - 0.0628 s(1)
 - (2)6.28 s

(3)


- Ans. 4 $3.14 \, s$
- <u>www.easybiologyclass.com</u> (4)

- 16. A parallel plate capacitor has a uniform electric field \overrightarrow{E} in the space between the plates. If the distance between the plates is 'd' and the area of each plate is 'A', the energy stored in the capacitor is : $(\varepsilon_0 = \text{permittivity of free space})$
 - $(1) \qquad \frac{1}{2}\epsilon_0 E^2$
 - (2) ϵ_0 EAd
 - (3) $\frac{1}{2} \epsilon_0 E^2 Ad$
 - (4) $\frac{E^2Ad}{\varepsilon_0}$

Ans. 3

17. An infinitely long straight conductor carries a current of 5 A as shown. An electron is moving with a speed of 10^5 m/s parallel to the conductor. The perpendicular distance between the electron and the conductor is 20 cm at an instant. Calculate the magnitude of the force experienced by the electron at that instant.

Electron $v = 10^5 \text{ m/s}$



- (1) $4 \times 10^{-20} \text{ N}$
- (2) $8\pi \times 10^{-20} \text{ N}$
- (3) $4\pi \times 10^{-20} \text{ N}$
- (4) $8 \times 10^{-20} \text{ N}$

Ans. 4

- **18.** A lens of large focal length and large aperture is best suited as an objective of an astronomical telescope since :
 - (1) a large aperture contributes to the quality and visibility of the images.
 - (2) a large area of the objective ensures better light gathering power.
 - (3) a large aperture provides a better resolution.
 - (4) all of the above.

Ans. 4

19. A radioactive nucleus $^{\rm A}_{\rm Z}{\rm X}$ undergoes spontaneous decay in the sequence


 $^A_ZX \to_{Z-1}B \to_{Z-3}C \to_{Z-2}D\,,\,\, where\,\,Z$ is the atomic number of element X. The possible decay particles in the sequence are :

- (1) α, β^-, β^+
- (2) α , β^+ , β^-
- (3) β^+ , α , β^-
- (4) β^- , α , β^+

Ans. 3

20. An inductor of inductance L, a capacitor of capacitance C and a resistor of resistance 'R' are connected in series to an ac source of potential difference 'V' volts as shown in figure.

Potential difference across L, C and R is 40 V, 10 V and 40 V, respectively. The amplitude of current flowing through LCR series circuit is $10\sqrt{2}$ A. The impedance of the circuit is:



- (1) $4\sqrt{2} \Omega$
- (2) $5/\sqrt{2} \Omega$
- (3) 4Ω
- (4) 5Ω

Ans. 4

- **21.** The escape velocity from the Earth's surface is *v*. The escape velocity from the surface of another planet having a radius, four times that of Earth and same mass density is:
 - (1) v
 - (2) 2 v
 - (3) 3 v

Ans. 4

- (4) 4 v
- **22.** A screw gauge gives the following readings when used to measure the diameter of a wire

Main scale reading: 0 mm

Circular scale reading: 52 divisions

Given that 1 mm on main scale corresponds to 100 divisions on the circular scale. The diameter of the wire from the above data is:

- (1) 0.52 cm
- (2) 0.026 cm
- (3) 0.26 cm
- (4) 0.052 cm

Ans. 4

- **23.** Water falls from a height of 60 m at the rate of 15 kg/s to operate a turbine. The losses due to frictional force are 10% of the input energy. How much power is generated by the turbine? $(g = 10 \text{ m/s}^2)$
 - (1) 10.2 kW
 - (2) 8.1 kW
 - (3) 12.3 kW
 - (4) 7.0 kW

24. A small block slides down on a smooth inclined plane, starting from rest at time t=0. Let S_n be the distance travelled by the block in the interval


 $t\!=\!n\!-\!1$ to $t\!=\!n.$ Then, the ratio $\frac{S_n}{S_{n+1}}$ is :


- $(1) \qquad \frac{2n-1}{2n}$
- $(2) \qquad \frac{2n-1}{2n+1}$
- (3) $\frac{2n+1}{2n-1}$
- $(4) \qquad \frac{2n}{2n-1}$


Ans. 2


- **25.** Polar molecules are the molecules:
 - (1) having zero dipole moment.
 - (2) acquire a dipole moment only in the presence of electric field due to displacement of charges.
 - (3) acquire a dipole moment only when magnetic field is absent.

 Ans. 4
 - (4) having a permanent electric dipole moment.
- **26.** A thick current carrying cable of radius 'R' carries current 'I' uniformly distributed across its cross-section. The variation of magnetic field B(r) due to the cable with the distance 'r' from the axis of the cable is represented by:









Ans. 3

- 27. In a potentiometer circuit a cell of EMF 1.5 V gives balance point at 36 cm length of wire. If another cell of EMF 2.5 V replaces the first cell, then at what length of the wire, the balance point occurs?
 - (1) 60 cm
 - (2) 21.6 cm
 - (3) 64 cm
 - (4) 62 cm

Anc

- 28. Two charged spherical conductors of radius R_1 and R_2 are connected by a wire. Then the ratio of surface charge densities of the spheres (σ_1/σ_2) is:
 - $(1) \qquad \frac{R_1}{R_2}$
 - $(2) \qquad \frac{R_2}{R_1}$
 - (3) $\sqrt{\frac{R_1}{R_2}}$
 - (4) $\frac{R_1^2}{R_2^2}$

Ans. 2

- 29. An electromagnetic wave of wavelength ' λ ' is incident on a photosensitive surface of negligible work function. If 'm' mass is of photoelectron emitted from the surface has de-Broglie wavelength λ_d , then:
 - (1) $\lambda = \left(\frac{2m}{hc}\right) \lambda_d^2$
 - (2) $\lambda_d = \left(\frac{2mc}{h}\right)\lambda^2$
 - (3) $\lambda = \left(\frac{2mc}{h}\right) \lambda_d^2$
 - (4) $\lambda = \left(\frac{2h}{mc}\right) \lambda_d^2$

Ans. 3

- 30. The electron concentration in an n-type semiconductor is the same as hole concentration in a p-type semiconductor. An external field (electric) is applied across each of them. Compare the currents in them.
 - (1) current in n-type = current in p-type.
 - (2) current in p-type > current in n-type.
 - (3) current in n-type > current in p-type.
 - (4) No current will flow in p-type, current will only flow in n-type.

- 31. The number of photons per second on an average emitted by the source of monochromatic light of wavelength 600 nm, when it delivers the power of 3.3×10^{-3} watt will be: $(h = 6.6 \times 10^{-34} \text{ Js})$
 - $(1) 10^{18}$
 - $(2) 10^{17}$
 - (3) 10^{16}
 - $(4) 10^{15}$

Ans. 3

- 32. If E and G respectively denote energy and gravitational constant, then $\frac{E}{G}$ has the dimensions of :
 - (1) $[M^2][L^{-1}][T^0]$
 - (2) $[M][L^{-1}][T^{-1}]$
 - (3) $[M][L^0][T^0]$
 - (4) $[M^2][L^{-2}][T^{-1}]$

Ans. 1

- 33. The effective resistance of a parallel connection that consists of four wires of equal length, equal area of cross-section and same material is $0.25\,\Omega$. What will be the effective resistance if they are connected in series?
 - (1) 0.25Ω
 - (2) 0.5Ω
 - (3) 1Ω
 - (4) 4Ω

Ans. 4

- **34.** The half-life of a radioactive nuclide is 100 hours. The fraction of original activity that will remain after 150 hours would be:
 - (1) 1/2
 - (2) $\frac{1}{2\sqrt{2}}$
 - (3) $\frac{2}{3}$
 - $(4) \qquad \frac{2}{3\sqrt{2}}$

Ans. 2

- 35. A nucleus with mass number 240 breaks into two fragments each of mass number 120, the binding energy per nucleon of unfragmented nuclei is 7.6 MeV while that of fragments is 8.5 MeV. The total gain in the Binding Energy in the process is:
 - (1) 0.9 MeV
 - (2) 9.4 MeV
 - (3) 804 MeV

(4) 216 MeV

Ans. 4

Section - B (Physics)

- 36. Two conducting circular loops of radii R_1 and R_2 are placed in the same plane with their centres coinciding. If $R_1 >> R_2$, the mutual inductance M between them will be directly proportional to:
 - $(1) \qquad \frac{R_1}{R_2}$
 - $(2) \qquad \frac{R_2}{R_1}$
 - $(3) \qquad \frac{R_1^2}{R_2}$
 - $(4) \qquad \frac{R_2^2}{R_1}$

Ans. 4

37. In the product

$$\overrightarrow{F} = q \left(\overrightarrow{v} \times \overrightarrow{B} \right)$$

$$= q \overrightarrow{v} \times \left(\overrightarrow{B} \overrightarrow{i} + \overrightarrow{B} \overrightarrow{j} + \overrightarrow{B_0} \overrightarrow{k} \right)$$

For
$$q = 1$$
 and $\overrightarrow{v} = 2\overrightarrow{i} + 4\overrightarrow{j} + 6\overrightarrow{k}$ and $\overrightarrow{F} = 4\overrightarrow{i} - 20\overrightarrow{j} + 12\overrightarrow{k}$

What will be the complete expression for \overrightarrow{B} ?


- (1) $-8\hat{i}-8\hat{j}-6\hat{k}$
- (2) -6i 6i 8k
- (3) 8i + 8i 6k
- (4) $6 \hat{i} + 6 \hat{j} 8 \hat{k}$


A uniform rod of length 200 cm and mass 500 g is

balanced on a wedge placed at 40 cm mark. A

7 M4

38. For the given circuit, the input digital signals are applied at the terminals A, B and C. What would be the output at the terminal *y*?






- (3) ______5 V (4) ______5 V

Ans. 3

0 V

- 39. A series LCR circuit containing 5.0 H inductor, $80~\mu\text{F}$ capacitor and $40~\Omega$ resistor is connected to 230~V variable frequency ac source. The angular frequencies of the source at which power transferred to the circuit is half the power at the resonant angular frequency are likely to be:
 - (1) 25 rad/s and 75 rad/s
 - (2) 50 rad/s and 25 rad/s
 - (3) 46 rad/s and 54 rad/s
 - (4) 42 rad/s and 58 rad/s

mass of 2 kg is suspended from the rod at 20 cm and another unknown mass 'm' is suspended from the rod at 160 cm mark as shown in the figure. Find the value of 'm' such that the rod is in equilibrium. $(g=10 \text{ m/s}^2)$ 0 20 cm 40 cm 160 cm




(1) $\frac{1}{2}$ kg

40.

- (2) $\frac{1}{3}$ kg
- $(3) \quad \frac{1}{6} \text{ kg}$
- (4) $\frac{1}{12}$ kg

Ans. 4

41. A point object is placed at a distance of 60 cm from a convex lens of focal length 30 cm. If a plane mirror were put perpendicular to the principal axis of the lens and at a distance of 40 cm from it, the final image would be formed at a distance of:



- (1) 20 cm from the lens, it would be a real image.
- (2) 30 cm from the lens, it would be a real image.
- (3) 30 cm from the plane mirror, it would be a virtual image.
- (4) 20 cm from the plane mirror, it would be a virtual image.

 Ans. 4
- 42. A car starts from rest and accelerates at 5 m/s^2 . At t=4 s, a ball is dropped out of a window by a person sitting in the car. What is the velocity and acceleration of the ball at t=6 s?

 $(Take g = 10 \text{ m/s}^2)$

- (1) $20 \text{ m/s}, 5 \text{ m/s}^2$
- (2) 20 m/s, 0
- (3) $20\sqrt{2} \text{ m/s}, 0$
- (4) $20\sqrt{2}$ m/s, 10 m/s² Ans. 4

- 43. Twenty seven drops of same size are charged at 220 V each. They combine to form a bigger drop. Calculate the potential of the bigger drop.
 - (1) 660 V
 - (2) 1320 V
 - (3) 1520 V
 - (4) 1980 V

Ans. 4

- 44. A uniform conducting wire of length 12a and resistance 'R' is wound up as a current carrying coil in the shape of,
 - (i) an equilateral triangle of side 'a'.
 - (ii) a square of side 'a'.

The magnetic dipole moments of the coil in each case respectively are:

- (1) $\sqrt{3} \operatorname{Ia}^2$ and $3 \operatorname{Ia}^2$
- (2) $3 \operatorname{Ia}^2$ and Ia^2
- (3) $3 \operatorname{Ia}^2$ and $4 \operatorname{Ia}^2$
- (4) $4 \operatorname{Ia}^2$ and $3 \operatorname{Ia}^2$

Ans. 1

- 45. A ball of mass 0.15 kg is dropped from a height 10 m, strikes the ground and rebounds to the same height. The magnitude of impulse imparted to the ball is $(g = 10 \text{ m/s}^2)$ nearly:
 - (1) 0 kg m/s
 - (2) 4.2 kg m/s
 - (3) 2.1 kg m/s
 - (4) 1.4 kg m/s

Ans. 2

- 46. A step down transformer connected to an ac mains supply of 220 V is made to operate at 11 V, 44 W lamp. Ignoring power losses in the transformer, what is the current in the primary circuit?
 - (1) 0.2 A
 - (2) 0.4 A
 - (3) 2 A
 - $(4) \qquad 4 A$

Ans. 1

47. A particle moving in a circle of radius R with a uniform speed takes a time T to complete one revolution.

If this particle were projected with the same speed at an angle ' θ ' to the horizontal, the maximum height attained by it equals 4R. The angle of projection, θ , is then given by :

- (1) $\theta = \cos^{-1} \left(\frac{gT^2}{\pi^2 R} \right)^{1/2}$
- (2) $\theta = \cos^{-1} \left(\frac{\pi^2 R}{gT^2} \right)^{1/2}$
- (3) $\theta = \sin^{-1} \left(\frac{\pi^2 R}{gT^2} \right)^{\frac{1}{2}}$
- (4) $\theta = \sin^{-1} \left(\frac{2gT^2}{\pi^2 R} \right)^{\frac{1}{2}}$

Ans. 4


48. A particle of mass 'm' is projected with a velocity $v = kV_e(k < 1)$ from the surface of the earth.

 $(V_e = escape velocity)$

The maximum height above the surface reached by the particle is:

- (1) $R\left(\frac{k}{1-k}\right)^2$
- (2) $R\left(\frac{k}{1+k}\right)^2$
- $(3) \qquad \frac{R^2k}{1+k}$
- $(4) \qquad \frac{Rk^2}{1-k^2}$

49. Three resistors having resistances r_1 , r_2 and r_3 are connected as shown in the given circuit. The ratio $\frac{i_3}{i_1}$ of currents in terms of resistances used in the circuit is:



- (1) $\frac{r_1}{r_2 + r_3}$
- (2) $\frac{r_2}{r_2 + r_3}$
- (3) $\frac{r_1}{r_1 + r_2}$
- (4) $\frac{r_2}{r_1 + r_2}$

Ans 2

- 50. From a circular ring of mass 'M' and radius 'R' an arc corresponding to a 90° sector is removed. The moment of inertia of the remaining part of the ring about an axis passing through the centre of the ring and perpendicular to the plane of the ring is 'K' times 'MR²'. Then the value of 'K' is:
 - $(1) \qquad \frac{3}{4}$
 - (2) $\frac{7}{8}$
 - (3) $\frac{1}{4}$
 - (4) $\frac{1}{8}$

Ans. 1

- Section A (Chemistry)
- 51. Which one among the following is the correct option for right relationship between C_P and C_V for one mole of ideal gas ?
 - (1) $C_P + C_V = R$
 - (2) $C_P C_V = R$
 - (3) $C_P = RC_V$

4) $C_V = RC_P$

Ans. 2

- **52.** The correct option for the number of body centred unit cells in all 14 types of Bravais lattice unit cells is:
 - (1) 7

9

- (2) 5
- (3) 2

(4)

Ans. 4

- **53.** Noble gases are named because of their inertness towards reactivity. Identify an **incorrect** statement about them.
 - (1) Noble gases are sparingly soluble in water.
 - (2) Noble gases have very high melting and boiling points.
 - (3) Noble gases have weak dispersion forces.
 - (4) Noble gases have large positive values of electron gain enthalpy.

 Ans. 2
- **54.** The major product formed in dehydrohalogenation reaction of 2-Bromo pentane is Pent-2-ene. This product formation is based on?
 - (1) Saytzeff's Rule
 - (2) Hund's Rule
 - (3) Hofmann Rule
 - (4) Huckel's Rule

Anc 1

- **55.** The compound which shows metamerism is:
 - (1) C_5H_{12}
 - (2) C_3H_8O
 - (3) C_3H_6O
 - (4) $C_4H_{10}O$

Ans. 4

- **56.** BF $_3$ is planar and electron deficient compound. Hybridization and number of electrons around the central atom, respectively are:
 - (1) sp^3 and 4
 - (2) sp^3 and 6
 - (3) sp^2 and 6

Ans. 3

- (4) sp^2 and 8
- **57.** The right option for the statement "Tyndall effect is exhibited by", is:
 - (1) NaCl solution
 - (2) Glucose solution
 - (3) Starch solution
 - (4) Urea solution

58. Among the following alkaline earth metal halides, one which is covalent and soluble in organic solvents is:

- (1) Calcium chloride
- (2) Strontium chloride
- (3) Magnesium chloride
- (4) Beryllium chloride


Ans. 4


59. Which one of the following methods can be used to obtain highly pure metal which is liquid at room temperature?


- (1) Electrolysis
- (2) Chromatography
- (3) Distillation
- (4) Zone refining


Ans. 3

60. For a reaction $A\rightarrow B$, enthalpy of reaction is -4.2 kJ mol^{-1} and enthalpy of activation is 9.6 kJ mol^{-1} . The correct potential energy profile for the reaction is shown in option.









Ans. 2

61. Which one of the following polymers is prepared by addition polymerisation?

- (1) Teflon
- (2) Nylon-66
- (3) Novolac
- (4) Dacron

Ans. 1

62. The major product of the following chemical reaction is:

$$\begin{array}{c} \text{CH}_{3} \\ \text{CH}_{3} \end{array} \text{CH} - \text{CH} = \text{CH}_{2} + \text{HBr} \xrightarrow{(\text{C}_{6}\text{H}_{5}\text{CO})_{2}\text{O}_{2}} ?$$


$$\begin{array}{ccc} & & \text{CH}_3 \\ & & \text{CH} - \text{CH}_2 - \text{CH}_2 - \text{Br} \end{array}$$


(2)
$$\begin{array}{c} \mathrm{CH_3} \\ \mathrm{CH_3} \end{array} \\ \mathrm{CH_2} - \mathrm{CH_2} - \mathrm{CH_2} - \mathrm{O} - \mathrm{COC_6H_5} \\ \end{array}$$


$$\begin{array}{c} \text{CH}_{3} \\ \text{CH}_{3} \\ \text{CH}_{3} \\ \text{Br} \end{array}$$


(4)
$$\begin{array}{c} \mathrm{CH_3} \\ \mathrm{CH_3} \end{array}$$
 $\mathrm{CBr} - \mathrm{CH_2} - \mathrm{CH_3} \\ \end{array}$ Ans. I

63. Choose the correct option for graphical representation of Boyle's law, which shows a graph of pressure vs. volume of a gas at different temperatures:









- Dihedral angle of least stable conformer of ethane 64. is:
 - (1) 120°
 - (2)180°
 - (3) 60°
 - 0° (4)

Ans. 4

- An organic compound contains 78% (by wt.) carbon and remaining percentage of hydrogen. The right option for the empirical formula of this compound is: [Atomic wt. of C is 12, H is 1]
 - CH(1)
 - (2) CH_{2}
 - (3) CH_3
 - (4) CH_4

Ans. 3

- The maximum temperature that can be achieved in blast furnace is:
 - (1) upto 1200 K
 - (2)upto 2200 K
 - (3)upto 1900 K
 - (4) upto 5000 K
- 67. The following solutions were prepared by dissolving 10 g of glucose ($C_6H_{12}O_6$) in 250 ml of water (P_1), $10\,\mathrm{g}$ of urea (CH_4N_2O) in 250 ml of water (P_2) and 10 g of sucrose $(C_{12}H_{22}O_{11})$ in 250 ml of water (P₃). The right option for the decreasing order of osmotic pressure of these solutions is:
 - $P_2 > P_1 > P_3$
 - (2)
 - P₁² > P₂¹ > P₃³ P₂ > P₃ > P₁ P₃ > P₁ > P₂ (3)

(4)

Ans. 1

Ans. 2

- 68. Zr(Z=40) and Hf(Z=72) have similar atomic and ionic radii because of:
 - (1) belonging to same group
 - (2)diagonal relationship
 - (3)lanthanoid contraction

Ans. 3

- having similar chemical properties
- The molar conductance of NaCl, HCl and 69. CH₃COONa at infinite dilution are 126.45, 426.16 and $91.0 \mathrm{\ S} \mathrm{\ cm}^2 \mathrm{\ mol}^{-1}$ respectively. The molar conductance of CH₃COOH at infinite dilution is. Choose the right option for your answer.
 - $201.28 \, \mathrm{S} \, \mathrm{cm}^2 \, \mathrm{mol}^{-1}$ (1)
 - $390.71 \, \mathrm{S} \, \mathrm{cm}^2 \, \mathrm{mol}^{-1}$ (2)
 - $698.28 \, \mathrm{S} \, \mathrm{cm}^2 \, \mathrm{mol}^{-1}$ (3)

Ans. 2

- $540.48 \, \mathrm{S} \, \mathrm{cm}^2 \, \mathrm{mol}^{-1}$
- 70. Right option for the number of tetrahedral and octahedral voids in hexagonal primitive unit cell are:
 - (1) 8, 4
 - (2)6, 12
 - 2, 1 (3)

Ans. 4

- 71. A particular station of All India Radio, New Delhi, broadcasts on a frequency of 1,368 kHz (kilohertz). The wavelength of the electromagnetic radiation emitted by the transmitter is: [speed of light, $c = 3.0 \times 10^8 \,\mathrm{ms}^{-1}$
 - 219.3 m (1)
 - 219.2 m (2)

(3) $2192 \, \mathrm{m}$ Ans. 1

- 21.92 cm(4)
- Ethylene diaminetetraacetate (EDTA) ion is:
 - Hexadentate ligand with four "O" and two "N" donor atoms
 - (2)Unidentate ligand
 - (3)Bidentate ligand with two "N" donor atoms
 - Tridentate ligand with three "N" donor (4) atoms

73. The correct sequence of bond enthalpy of 'C–X' bond is :

(1)
$$CH_3 - F < CH_3 - Cl < CH_3 - Br < CH_3 - I$$

(2)
$$CH_3 - F > CH_3 - Cl > CH_3 - Br > CH_3 - I$$

$${\rm (3)} \qquad {\rm CH_3 - F < CH_3 - Cl > CH_3 - Br > CH_3 - I}$$

(4)
$$CH_3 - Cl > CH_3 - F > CH_3 - Br > CH_3 - I$$

Ans. 2

- 74. The p K_b of dimethylamine and p K_a of acetic acid are 3.27 and 4.77 respectively at T(K). The correct option for the pH of dimethylammonium acetate solution is:
 - (1) 8.50
 - (2) 5.50
 - (3) 7.75
 - (4) 6.25

Ans. 3

- **75.** The structures of beryllium chloride in solid state and vapour phase, are:
 - (1) Chain and dimer, respectively
 - (2) Linear in both
 - (3) Dimer and Linear, respectively
 - (4) Chain in both

Ans. 1

76. Given below are two statements:

Statement I:

Aspirin and Paracetamol belong to the class of narcotic analgesics.

Statement II:

Morphine and Heroin are non-narcotic analysics. In the light of the above statements, choose the **correct** answer from the options given below.

- (1) Both **Statement I** and **Statement II** are true.
- (2) Both **Statement I** and **Statement II** are false
- (3) Statement I is correct but Statement II is false.
- (4) Statement I is incorrect but Statement II is true.

 Ans. 2
- 77. Match List I with List II.

T	-	
List	_ I	
LIST	- 1	

List-II

- (a) PCl₅ (i) Square pyramidal
- (b) SF₆ (ii) Trigonal planar
- (c) BrF₅ (iii) Octahedral
- (d) BF₃ (iv) Trigonal bipyramidal

Choose the ${f correct}$ answer from the options given below.

- (1) (a)-(iv), (b)-(iii), (c)-(i), (d)-(ii)
- (2) (a)-(ii), (b)-(iii), (c)-(iv), (d)-(i)
- (3) (a)-(iii), (b)-(i), (c)-(iv), (d)-(ii)
- (4) (a)-(iv), (b)-(iii), (c)-(ii), (d)-(i) Ans. 1

78. Statement I :

Acid strength increases in the order given as HF << HCl << HBr << HI.

Statement II:

As the size of the elements F, Cl, Br, I increases down the group, the bond strength of HF, HCl, HBr and HI decreases and so the acid strength increases.


In the light of the above statements, choose the **correct** answer from the options given below.

- (1) Both **Statement I** and **Statement II** are true.
- (2) Both **Statement I** and **Statement II** are false.
- (3) Statement I is correct but Statement II is false.
- (4) Statement I is incorrect but Statement II is true.

 Ans. 1
- **79.** Identify the compound that will react with Hinsberg's reagent to give a solid which dissolves in alkali.

(1)
$$CH_3$$
 $\dot{N}O_5$

(3)
$$CH_3$$
 $\dot{N}H_2$



80. What is the IUPAC name of the organic compound formed in the following chemical reaction?

Acetone
$$\xrightarrow{\text{(i) } C_2H_5MgBr, dry Ether}$$
 Product

- (1) 2-methyl propan-2-ol
- (2) pentan-2-ol
- (3) pentan-3-ol
- (4) 2-methyl butan-2-ol

Anc 1

Ans. 3

- 81. Which of the following reactions is the metal displacement reaction? Choose the right option.
 - $(1) \qquad 2KClO_3 \xrightarrow{\Delta} 2KCl + 3O_2$
 - (2) $\operatorname{Cr}_2\operatorname{O}_3 + 2\operatorname{Al} \xrightarrow{\Delta} \operatorname{Al}_2\operatorname{O}_3 + 2\operatorname{Cr}$
 - (3) $\operatorname{Fe} + 2\operatorname{HCl} \rightarrow \operatorname{FeCl}_2 + \operatorname{H}_2 \uparrow$
 - $(4) \qquad 2\text{Pb(NO}_3)_2 \rightarrow 2\text{PbO} + 4\text{NO}_2 + \text{O}_2 \uparrow$

Section - B (Chemistry)

82. The correct structure of 2,6-Dimethyl-dec-4-ene is:

(1)

Ans. 1

83. The **incorrect** statement among the following is:

- (1) Actinoid contraction is greater for element to element than Lanthanoid contraction.
- (2) Most of the trivalent Lanthanoid ions are colorless in the solid state.
- (3) Lanthanoids are good conductors of heat and electricity.
- (4) Actinoids are highly reactive metals, especially when finely divided.

Ans. 2

84. The RBC deficiency is deficiency disease of:

- (1) Vitamin B_{12}
- (2) Vitamin B₆
- (3) Vitamin B₁
- (4) Vitamin B₂

Ans. 1

85. Tritium, a radioactive isotope of hydrogen, emits which of the following particles?

- (1) Beta (β^-)
- (2) Alpha (α)
- (3) Gamma (γ)
- (4) Neutron (n)

Ans. 1

86. Match List - I with List - II.

List - I

13

List-II

$$\begin{array}{ccc} \text{(a)} & 2\mathrm{SO}_2(\mathrm{g}) + \mathrm{O}_2(\mathrm{g}) \rightarrow & \text{(i)} & \mathrm{Acid\,rain} \\ & 2\mathrm{SO}_3(\mathrm{g}) \end{array}$$

- (b) $HOCl(g) \xrightarrow{h\nu}$ (ii) Smog OH+Cl
- $\begin{array}{ccc} \text{(c)} & & \text{CaCO}_3 + \text{H}_2 \text{SO}_4 {\rightarrow} & \text{(iii)} & \text{Ozone} \\ & & \text{CaSO}_4 + \text{H}_2 \text{O} + \text{CO}_2 & \text{depletion} \end{array}$
- (d) $NO_2(g) \xrightarrow{h\nu}$ (iv) Tropospheric NO(g) + O(g) pollution

Choose the **correct** answer from the options given below.

- (1) (a)-(i), (b)-(ii), (c)-(iii), (d)-(iv)
- (2) (a)-(ii), (b)-(iii), (c)-(iv), (d)-(i)
- (3) (a)-(iv), (b)-(iii), (c)-(i), (d)-(ii)
- (4) (a)-(iii), (b)-(ii), (c)-(iv), (d)-(i)

 Ans. 3

87. $CH_3CH_2COO^-Na^+ \xrightarrow{NaOH, +?} CH_3CH_3 + Na_2CO_3.$

Consider the above reaction and identify the missing reagent/chemical.

- (1) B_2H_6
- (2) Red Phosphorus
- (3) CaO
- (4) DIBAL-H

Please visit: www.easybiologyclass.com

Follow the links for....



PPTs

Biology MCQs

Question Bank

Online Mock Tests

Practical Aids

Difference Between....

Career & News





BIOLOGY EXAMINATIONS NEET **AIIMS GRE** Plus 1 Plus 2 **CBSE ICSE JAM** CUCET GS Bio. **CSIR JRF ICMR JRF** DBT BET **GATE SET** Ph.D **ICAR PSC UPSC University**

Please Share with your Friends, Relatives, Students and Colleagues

Please visit: www.easybiologyclass.com

Follow the links for....



PPTs

Biology MCQs

Question Bank

Online Mock Tests

Practical Aids

Difference Between....

Career & News





BIOLOGY EXAMINATIONS NEET **AIIMS GRE** Plus 1 Plus 2 **CBSE ICSE JAM** CUCET GS Bio. **CSIR JRF ICMR JRF** DBT BET **GATE SET** Ph.D **ICAR PSC UPSC University**

Please Share with your Friends, Relatives, Students and Colleagues

88. The product formed in the following chemical reaction is:

$$\begin{array}{c} O & O \\ CH_2 - C - OCH_3 \\ \hline \\ CH_3 & \hline \\ \hline \\ C_2H_5OH \end{array}$$
?

(2)
$$CH_2-CH_2-OH$$

$$\begin{array}{c} \text{OH} & \text{O} \\ \text{CH}_2 - \text{C} - \text{OCH}_3 \\ \text{CH}_3 \end{array}$$

89. Match List - I with List - II.

List - I			List - II
(a)	$[\mathrm{Fe}(\mathrm{CN})_6]^{3-}$	(i)	5.92 BM
(b)	$[{\rm Fe(H_2O)_6}]^{3+}$	(ii)	$0\mathrm{BM}$

(c) $[Fe(CN)_6]^{4-}$ (iii) 4.90 BM (d) $[Fe(H_2O)_6]^{2+}$ (iv) 1.73 BM

Choose the **correct** answer from the options given below.

(1) (a)-(iv), (b)-(ii), (c)-(i), (d)-(iii)

(2) (a)-(ii), (b)-(iv), (c)-(iii), (d)-(i)

(3) (a)-(i), (b)-(iii), (c)-(iv), (d)-(ii)

(4) (a)-(iv), (b)-(i), (c)-(ii), (d)-(iii)

90. From the following pairs of ions which one is not an iso-electronic pair?

(1) O^{2-}, F^{-}

(2) Na^+, Mg^{2+}

(3) Mn^{2+} , Fe^{3+}

(4) Fe^{2+} . Mn^{2+}

Ans. 4

Ans. 4

Ans. 4

91. The reagent 'R' in the given sequence of chemical reaction is:

$$\begin{array}{c} \operatorname{Br} & \operatorname{NH}_2 \\ \operatorname{Br} & \operatorname{NaNO}_2, \operatorname{HCl} \\ \operatorname{O} \cdot \operatorname{5^\circ C} & \operatorname{Br} & \operatorname{Br} \\ \end{array} \xrightarrow{\operatorname{Br}} \begin{array}{c} \operatorname{Br} \\ \operatorname{Br} & \operatorname{Br} \\ \end{array} \xrightarrow{\operatorname{Br}} \begin{array}{c} \operatorname{Br} \\ \operatorname{Br} \\ \end{array}$$

(1) H₂O

(2) CH_3CH_2OH

(3) HI

(4) CuCN/KCN

Ans. 2

92. Choose the correct option for the total pressure (in atm.) in a mixture of $4 \, \mathrm{g} \, \mathrm{O}_2$ and $2 \, \mathrm{g} \, \mathrm{H}_2$ confined in a total volume of one litre at $0^{\circ}\mathrm{C}$ is :

[Given R = 0.082 L atm mol⁻¹ K^{-1} , T = 273 K]

(1) 2.518

(2) 2.602

(3) 25.18

(4) 26.02

Ans. 3

93. Which of the following molecules is non-polar in nature?

(1) POCl₃

(2) CH₂O

(3) SbCl₅

(4) NO₂

Ans. 3

94. In which one of the following arrangements the given sequence is not strictly according to the properties indicated against it?

(1) HF < HCl : Increasing acidic < HBr < HI strength

 $\begin{array}{ccc} \text{(2)} & \text{H}_2\text{O} < \text{H}_2\text{S} & : & \text{Increasing pK}_{\text{a}} \\ & < \text{H}_2\text{Se} < \text{H}_2\text{Te} & \text{values} \end{array}$

 $\begin{array}{cccc} \text{(3)} & \text{NH}_3 < \text{PH}_3 & : & \text{Increasing} \\ & < \text{AsH}_3 < \text{SbH}_3 & & \text{acidic character} \end{array}$

 $\begin{array}{ccc} \text{(4)} & \text{CO}_2 < \text{SiO}_2 & : & \text{Increasing} \\ & < \text{SnO}_2 < \text{PbO}_2 & & \text{oxidizing power} \end{array}$

Ans. 2

95. The correct option for the value of vapour pressure of a solution at 45°C with benzene to octane in molar ratio 3:2 is:

[At 45°C vapour pressure of benzene is 280 mm Hg and that of octane is 420 mm Hg. Assume Ideal gas]

(1) 160 mm of Hg

(2) 168 mm of Hg

(3) 336 mm of Hg

350 mm of Hg

(4)

96. The molar conductivity of 0.007 M acetic acid is 20 S cm² mol⁻¹. What is the dissociation constant of acetic acid? Choose the correct option.

$$\begin{bmatrix} \Lambda_{\text{H}^{+}}^{\circ} = 350 \text{ S cm}^{2} \text{ mol}^{-1} \\ \Lambda_{\text{CH}_{3}\text{COO}}^{\circ} = 50 \text{ S cm}^{2} \text{ mol}^{-1} \end{bmatrix}$$

- (1) $1.75 \times 10^{-4} \text{ mol L}^{-1}$
- (2) $2.50 \times 10^{-4} \text{ mol L}^{-1}$
- (3) $1.75 \times 10^{-5} \text{ mol } L^{-1}$
- (4) $2.50 \times 10^{-5} \text{ mol L}^{-1}$

Ans. 3

97. The slope of Arrhenius Plot $\left(\ln k \text{ v/s } \frac{1}{T}\right)$ of first order reaction is $-5 \times 10^3 \text{ K}$. The value of E_a of the reaction is. Choose the correct option for your answer.

[Given $R = 8.314 \, JK^{-1} mol^{-1}$]

- (1) 41.5 kJ mol^{-1}
- (2) 83.0 kJ mol^{-1}
- (3) 166 kJ mol^{-1}
- (4) -83 kJ mol^{-1}

Ans. 1

98. Match List - I with List - II.

List - I

List-II

$$(a) \overbrace{ \begin{array}{c} \text{CO, HCl} \\ \text{Anhyd.AlCl}_{3}/\\ \text{CuCl} \end{array}} \\ (i) \quad \begin{array}{c} \text{Hell-Volhard-} \\ \text{Zelinsky reaction} \end{array}$$

- (b) $R C CH_3 + NaOX \longrightarrow$
- (ii) Gattermann-Koch reaction
- (c) $R-CH_2-OH$ + R'COOHConc. H_2SO_4
- (iii) Haloform reaction
- (d) $R-CH_2COOH$ (iv) Esterification $\xrightarrow{\text{(i) } X_2/\text{Red P} \atop \text{(ii) } H_2O}$

Choose the **correct** answer from the options given below.

- (1) (a)-(iv), (b)-(i), (c)-(ii), (d)-(iii)
- (2) (a)-(iii), (b)-(ii), (c)-(i), (d)-(iv)
- (3) (a)-(i), (b)-(iv), (c)-(iii), (d)-(ii)
- (4) (a)-(ii), (b)-(iii), (c)-(iv), (d)-(i) Ans. 4


99. The intermediate compound 'X' in the following chemical reaction is:

$$\begin{array}{c} CH_3 \\ + CrO_2Cl_2 \xrightarrow{CS_2} X \xrightarrow{H_3O^+} \end{array} \\ \begin{array}{c} O \\ \parallel \\ C \\ \end{array}$$

(1) $CH(OCrOHCl_2)_2$

(2) $CH(OCOCH_3)_2$

(3) CH Cl



Ans. 1

100. For irreversible expansion of an ideal gas under isothermal condition, the correct option is:

- (1) $\Delta U = 0$, $\Delta S_{total} = 0$
- (2) $\Delta U \neq 0$, $\Delta S_{total} \neq 0$
- (3) $\Delta U = 0, \Delta S_{total} \neq 0$
- (4) $\Delta U \neq 0, \Delta S_{\text{total}} = 0$

Ans. 3

Section - A (Biology: Botany)

101. In the equation GPP - R = NPP

R represents:

- (1) Radiant energy
- (2) Retardation factor
- (3) Environment factor
- (4) Respiration losses

Ans. 4

102. Inspite of interspecific competition in nature, which mechanism the competing species might have evolved for their survival?

- (1) Resource partitioning
- (2) Competitive release
- (3) Mutualism
- (4) Predation

Ans. 1

103. Amensalism can be represented as:

- (1) Species A(-); Species B(0)
- (2) Species A(+); Species B(+)
- (3) Species A(-); Species B(-)
- (4) Species A(+); Species B(0)

104. Match List - I with List - II.

	List - I	List - II	
(0)	Cells with active cell	(i)	Vascular
(a)	division capacity	(1)	tissues
	Tissue having all cells		Meristematic
(b)	similar in structure	(ii)	tissue
	and function		ussue
(c)	Tissue having	(iii)	Sclereids
(6)	different types of cells	(111)	Sciereius
	Dead cells with highly		
(d)	thickened walls and	(iv)	Simple tissue
	narrow lumen		

Select the **correct** answer from the options given below.

	- ·		
(a)	(b)	(c)	(d)

- (1) (ii) (iv) (i) (iii)
- (2) (iv) (iii) (ii) (i)
- (3) (i) (ii) (iii) (iv)
- (4) (iii) (ii) (iv) (i)

105. The production of gametes by the parents, formation of zygotes, the F_1 and F_2 plants, can be understood from a diagram called:

- (1) Bullet square
- (2) Punch square
- (3) Punnett square
- (4) Net square

Ans. 3

Ans. 1

16

106. DNA strands on a gel stained with ethidium bromide when viewed under UV radiation, appear as:

- (1) Yellow bands
- (2) Bright orange bands
- (3) Dark red bands
- (4) Bright blue bands

Ans. 2

107. Gemmae are present in:

- (1) Mosses
- (2) Pteridophytes
- (3) Some Gymnosperms
- (4) Some Liverworts

Ans. 4

108. Plants follow different pathways in response to environment or phases of life to form different kinds of structures. This ability is called:

- (1) Elasticity
- (2) Flexibility
- (3) Plasticity
- (4) Maturity

Ans. 3

109. Which of the following is an incorrect statement?

- (1) Mature sieve tube elements possess a conspicuous nucleus and usual cytoplasmic organelles.
- (2) Microbodies are present both in plant and animal cells.
- (3) The perinuclear space forms a barrier between the materials present inside the nucleus and that of the cytoplasm.
- (4) Nuclear pores act as passages for proteins and RNA molecules in both directions between nucleus and cytoplasm.

 Ans. 1

110. A typical angiosperm embryo sac at maturity is:

- (1) 8-nucleate and 7-celled
- (2) 7-nucleate and 8-celled
- (3) 7-nucleate and 7-celled
- (4) 8-nucleate and 8-celled Ans. 1

111. The plant hormone used to destroy weeds in a field is:

- (1) IAA
- (2) NAA
- (3) 2, 4-D

(4) IBA

Ans. 3

112. Which of the following algae produce Carrageen?

- (1) Green algae
- (2) Brown algae
- (3) Red algae

(4) Blue-green algae

Ans. 3

113. Mutations in plant cells can be induced by:

- (1) Kinetin
- (2) Infrared rays
- (3) Gamma rays
- (4) Zeatin

Ans. 3

114. Match List - I with List - II.

	List - I		List - II
(a)	Protoplast fusion	(i)	Totipotency
(b)	Plant tissue culture	(ii)	Pomato
(c)	Meristem culture	(iii)	Somaclones
(d)	Micropropagation	(iv)	Virus free plants

Choose the **correct** answer from the options given below.

(a) (b) (c) (d)

(1) (iii) (iv) (ii) (i) (2) (ii) (i) (iv) (iii)

(3) (iii) (iv) (i) (ii)

(4) (iv) (iii) (ii) (i)

- 115. Which of the following stages of meiosis involves division of centromere?
 - Metaphase I (1)
 - (2)Metaphase II
 - (3)Anaphase II
 - (4) Telophase II

Ans. 3

Match List - I with List - II.

	List - I		List - II		
(a)	Lenticels	(i)	Phellogen		
(b)	Cork cambium	(ii)	Suberin deposition		
(c)	Secondary cortex	(iii)	Exchange of gases		
(d)	Cork	(iv)	Phelloderm		

Choose the correct answer from the options given below.

- (a) **(b) (c)** (d) (1)(i) (ii) (iv) (iii)
- (2)(iii) (i) (iv) (ii)
- (i) (3) (ii) (iii) (iv)
- (4) (iv) (ii)(i) (iii)
- Ans. 2
- The site of perception of light in plants during photoperiodism is:
 - (1) Shoot apex
 - (2)Stem
 - (3)Axillary bud
 - (4) Leaf

Ans. 4

- 118. Which of the following plants is monoecious?
 - Carica papaya (1)
 - (2)Chara
 - Marchantia polymorpha (3)
 - (4)Cycas circinalis

Ans. 2

- When the centromere is situated in the middle of two equal arms of chromosomes, the chromosome is referred as:
 - (1) Metacentric
 - (2)Telocentric
 - (3)Sub-metacentric
 - (4) Acrocentric

Ans. 1

- Which of the following is **not** an application of PCR (Polymerase Chain Reaction)?
 - Molecular diagnosis (1)
 - (2)Gene amplification
 - (3)Purification of isolated protein
 - Detection of gene mutation (4)

Ans. 3

- Genera like Selaginella and Salvinia produce two kinds of spores. Such plants are known as:
 - (1) Homosorus
 - (2)Heterosorus
 - (3)Homosporous
 - (4) Heterosporous

Ans. 4

- 122. Complete the flow chart on central dogma.
 - (a) $(DNA \xrightarrow{(b)} mRNA \xrightarrow{(c)} (d)$
 - (a)-Replication; (b)-Transcription;
 - (c)-Transduction; (d)-Protein
 - (2)(a)-Translation; (b)-Replication;
 - (c)-Transcription; (d)-Transduction
 - (3)(a)-Replication; (b)-Transcription;
 - (c)-Translation; (d)-Protein
 - (4) (a)-Transduction; (b)-Translation;

(c)-Replication; (d)-Protein

- 123. Which of the following statements is **not** correct?
 - Pyramid of biomass in sea is generally inverted.
 - (2)Pyramid of biomass in sea is generally upright.
 - (3)Pyramid of energy is always upright.
 - (4) Pyramid of numbers in a grassland ecosystem is upright.
- **124**. Which of the following algae contains mannitol as reserve food material?
 - (1) Ectocarpus
 - (2)Gracilaria
 - Volvox (3)
 - (4) Ulothrix

Ans. 1

- During the purification process for recombinant DNA technology, addition of chilled ethanol precipitates out:
 - (1) RNA
 - (2)DNA
 - (3)Histones
 - (4) Polysaccharides

Ans. 2

- **126.** The factor that leads to Founder effect in a population is:
 - (1) Natural selection
 - (2)Genetic recombination
 - (3)Mutation
 - (4) Genetic drift

Ans. 4

Match List - I with List - II 127.

Match List - I with List - II.					
	List - I	List - II			
(a)	Cohesion	(i)	More attraction in liquid phase		
(b)	Adhesion	(ii)	Mutual attraction among water molecules		
(c)	Surface tension	(iii)	Water loss in liquid phase		
(d)	Guttation	(iv)	Attraction towards		

Choose the **correct** answer from the options given below.

- **(b)** (d) (a) **(c)** (ii) (iv) (i) (iii)
- (1) (2)(iv) (iii) (ii) (i)
- (3)(iii) (i) (iv) (ii) (4) (ii) (i) (iv) (iii)

128. Diadelphous stamens are found in:

- China rose (1)
- (2)Citrus
- (3)Pea
- (4) China rose and citrus

Ans. 3

18

129. Which of the following are **not** secondary metabolites in plants?

- Morphine, codeine (1)
- (2)Amino acids, glucose
- (3)Vinblastin, curcumin
- Rubber, gums (4)

Ans. 2

Match List - I with List - II.

	List - I	List - II	
(a)	Cristae	(i)	Primary constriction in
(α)	0110000	(-)	chromosome
(b)	Thylakoids	(ii)	Disc-shaped sacs in
(0)	Tilylakolus	(11)	Golgi apparatus
(0)	Comtromono	(iii)	Infoldings in
(c)	Centromere	(111)	mitochondria
			Flattened membranous
(d)	Cisternae	(iv)	sacs in stroma of
			plastids

Choose the **correct** answer from the options given below.

- (a) (b) (c) (d)
- (1)(iv) (iii) (ii) (i)
- (2)(ii)(i) (iv) (iii)
- (3)(iii) (iv) (i) (ii)
- (4) (ii) (iii) (iv) (i)

Ans. 3

- When gene targetting involving gene amplification is attempted in an individual's tissue to treat disease, it is known as:
 - **Biopiracy** (1)
 - (2)Gene therapy
 - (3)Molecular diagnosis
 - (4)Safety testing

Ans. 2

- The term used for transfer of pollen grains from 132. anthers of one plant to stigma of a different plant which, during pollination, brings genetically different types of pollen grains to stigma, is:
 - Xenogamy (1)
 - (2)Geitonogamy
 - (3)Chasmogamy
 - (4) Cleistogamy

Ans. 1

- Which of the following is a **correct** sequence of steps in a PCR (Polymerase Chain Reaction)?
 - (1) Denaturation, Annealing, Extension
 - (2)Denaturation, Extension, Annealing
 - (3)Extension, Denaturation, Annealing
 - (4) Annealing, Denaturation, Extension

Ans. 1

- The amount of nutrients, such as carbon, nitrogen, phosphorus and calcium present in the soil at any given time, is referred as:
 - Climax (1)
 - (2)Climax community
 - (3)Standing state

Ans. 3

- (4) Standing crop
- 135. The first stable product of CO₂ fixation in sorghum is:
 - (1) Pyruvic acid
 - (2)Oxaloacetic acid
 - (3)Succinic acid

Ans. 2

(4) Phosphoglyceric acid

Section - B (Biology: Botany)

- 136. Which of the following statements is **incorrect**?
 - Both ATP and NADPH+H+ are (1) synthesized during non-cyclic photophosphorylation.
 - Stroma lamellae have PS I only and lack NADP reductase.
 - (3)Grana lamellae have both PS I and PS II.
 - Cyclic photophosphorylation involves both (4)PS I and PS II.

Ans. 4

- 137. Identify the **correct** statement.
 - In capping, methyl guanosine triphosphate is added to the 3' end of hnRNA.
 - (2)RNA polymerase binds with Rho factor to terminate the process of transcription in bacteria.
 - (3)The coding strand in a transcription unit is copied to an mRNA.
 - (4) Split gene arrangement is characteristic of prokaryotes. Ans. 2
- 138. Match Column - I with Column - II.

Column - I

Column - II

- (a) $\% \oint K_{(5)} C_{1+2+(2)} A_{(9)+1} \underline{G}_1$
 - (i) Brassicaceae
- (b) $\oplus \not \subset K_{(5)}\widehat{C_{(5)}}A_5\underline{G}_2$
- (ii) Liliaceae
- (c) $\oplus \not Q \widehat{P_{(3+3)}} A_{3+3} \underline{G_{(3)}}$
- (iii) Fabaceae
- (d) $\oplus Q K_{2+2} C_4 A_{2-4} G_{(2)}$
- (iv) Solanaceae

Select the correct answer from the options given below.

- (a) (b) **(c)** (d)
- (1) (iii) (ii) (i) (iv)
- (2)(i) (ii) (iii) (iv)
- (3)(ii) (iii) (iv) (i) (ii)

(iv)

(4)

Ans. 1

(iii)

(i)

Select the **correct** pair.

- Subsidiary cells (1) Large colorless empty cells in the epidermis of grass leaves
- (2)In dicot leaves, vascular - Conjunctive bundles are surrounded tissue by large thick-walled cells
- (3)Cells of medullary rays - Interfascicular that form part of cambium cambial ring
- Loose parenchyma cells Spongy (4) rupturing the epidermis parenchyma and forming a lensshaped opening in bark

Ans. 3

140. In the exponential growth equation

 $N_t = N_0 e^{rt}$, e represents:

- The base of number logarithms
- (2)The base of exponential logarithms
- The base of natural logarithms (3)
- (4)The base of geometric logarithms

Ans. 3

- 141. What is the role of RNA polymerase III in the process of transcription in eukaryotes?
 - (1) Transcribes rRNAs (28S, 18S and 5.8S)
 - (2)Transcribes tRNA, 5s rRNA and snRNA
 - (3)Transcribes precursor of mRNA
 - (4) Transcribes only snRNAs

Ans. 2

- 142. Plasmid pBR322 has PstI restriction enzyme site within gene amp^R that confers ampicillin resistance. If this enzyme is used for inserting a gene for β-galactoside production and the recombinant plasmid is inserted in an *E.coli* strain
 - it will not be able to confer ampicillin resistance to the host cell.
 - the transformed cells will have the ability to resist ampicillin as well as produce β -galactoside.
 - (3) it will lead to lysis of host cell.
 - it will be able to produce a novel protein with (4) dual ability.

Ans. 1

143. Match List - I with List - II.

	List - I		List - II		
(a)	S phase	(i)	Proteins are synthesized		
(b)	G ₂ phase	(ii)	Inactive phase		
(c)	Quiescent stage	(iii)	Interval between mitosis and initiation of DNA replication		
(d)	G1 phase	(iv)	DNA replication		

Choose the **correct** answer from the options given below.

	(a)	(b)	(c)	(d)	
(1)	(iii)	(ii)	(i)	(iv)	
(2)	(iv)	(ii)	(iii)	(i)	
(3)	(iv)	(i)	(ii)	(iii)	
(4)	(ii)	(iv)	(iii)	(i)	

Ans. 3

- Which of the following statements is **correct**? 144.
 - (1) Fusion of two cells is called Karyogamy.
 - (2)Fusion of protoplasms between two motile on non-motile gametes is called plasmogamy.
 - Organisms that depend on living plants are (3)called saprophytes.
 - (4) Some of the organisms can fix atmospheric nitrogen in specialized cells called sheath cells.

Ans. 2

- 145. Which of the following statements is **incorrect**?
 - During aerobic respiration, role of oxygen is limited to the terminal stage.
 - (2)In ETC (Electron Transport Chain), one molecule of NADH+H+ gives rise to 2 ATP molecules, and one FADH₂ gives rise to 3 ATP molecules.
 - (3)ATP is synthesized through complex V.
 - (4) Oxidation-reduction reactions produce proton gradient in respiration.

Ans. 2

146. In some members of which of the following pairs of families, pollen grains retain their viability for months after release?

> (1) Poaceae; Rosaceae

(2)Poaceae; Leguminosae

(3)Poaceae: Solanaceae

(4) Rosaceae; Leguminosae

147. Match Column - I with Column - II.

(Column - I	Column - II		
(a)	Nitrococcus	(i)	Denitrification	
(b)	Rhizobium	(ii)	Conversion of	
(b)	11111200111111	(11)	ammonia to nitrite	
(a)	Thio bacillus	(iii)	Conversion of nitrite	
(6)	Thiooaciius		to nitrate	
			Conversion of	
(d)	Nitrobacter	(iv)	atmospheric nitrogen	
			to ammonia	

Choose the **correct** answer from options given below.

	(a)	(b)	(c)	(d)
(1)	(ii)	(iv)	(i)	(iii)
(2)	(i)	(ii)	(iii)	(iv)
(3)	(iii)	(i)	(iv)	(ii)

(3) (111) (1) (1v) (11) (4) (iv) (iii) (ii) (i)

Ans. 1

- 148. Now a days it is possible to detect the mutated gene causing cancer by allowing radioactive probe to hybridise its complimentary DNA in a clone of cells, followed by its detection using autoradiography because:
 - (1) mutated gene partially appears on a photographic film.
 - (2) mutated gene completely and clearly appears on a photographic film.
 - (3) mutated gene does not appear on a photographic film as the probe has no complimentarity with it.
 - (4) mutated gene does not appear on photographic film as the probe has complimentarity with it.

 Ans. 3
- **149.** DNA fingerprinting involves identifying differences in some specific regions in DNA sequence, called as:
 - (1) Satellite DNA
 - (2) Repetitive DNA
 - (3) Single nucleotides
 - (4) Polymorphic DNA

Ans. 2

Ans. 1

150. Match List - I with List - II.

	List - I		List - II
(a)	Protein	(i)	C = C double bonds
(b)	Unsaturated fatty acid	(ii)	Phosphodiester bonds
(c)	Nucleic acid	(iii)	Glycosidic bonds
(d)	Polysaccharide	(iv)	Peptide bonds

Choose the **correct** answer from the options given below

DCIOW.						
	(a)	(b)	(c)	(d)		
(1)	(iv)	(i)	(ii)	(iii)		
(2)	(i)	(iv)	(iii)	(ii)		
(3)	(ii)	(i)	(iv)	(iii)		
(4)	(iv)	(iii)	(i)	(ii)		

Section - A (Biology: Zoology)

- **151.** Which one of the following organisms bears hollow and pneumatic long bones?
 - (1) Neophron
 - (2) Hemidactylus
 - (3) Macropus

Ans. 1

- (4) Ornithorhynchus
- **152.** Chronic auto immune disorder affecting neuro muscular junction leading to fatigue, weakening and paralysis of skeletal muscle is called as:
 - (1) Arthritis
 - (2) Muscular dystrophy
 - (3) Myasthenia gravis
 - (4) Gout

Ans. 3

- **153.** Which one of the following is an example of Hormone releasing IUD?
 - (1) CuT
 - (2) LNG 20
 - (3) Cu 7
 - (4) Multiload 375

Ans. 2

- 154. Which of the following characteristics is **incorrect** with respect to cockroach?
 - (1) A ring of gastric caeca is present at the junction of midgut and hind gut.
 - (2) Hypopharynx lies within the cavity enclosed by the mouth parts.
 - (3) In females, 7th-9th sterna together form a genital pouch.
 - (4) 10th abdominal segment in both sexes, bears a pair of anal cerci. Ans. 1
- **155.** Select the favourable conditions required for the formation of oxyhaemoglobin at the alveoli.
 - (1) High pO₂, low pCO₂, less H⁺, lower temperature
 - (2) Low pO_2 , high pCO_2 , more H^+ , higher temperature
 - (3) High pO₂, high pCO₂, less H⁺, higher temperature
 - (4) Low pO_2 , low pCO_2 , more H^+ , higher temperature Ans. 1
- **156.** Sphincter of oddi is present at:
 - (1) Ileo-caecal junction
 - (2) Junction of hepato-pancreatic duct and duodenum
 - (3) Gastro-oesophageal junction
 - (4) Junction of jejunum and duodenum

- **157.** The organelles that are included in the endomembrane system are:
 - (1) Endoplasmic reticulum, Mitochondria, Ribosomes and Lysosomes
 - (2) Endoplasmic reticulum, Golgi complex, Lysosomes and Vacuoles
 - (3) Golgi complex, Mitochondria, Ribosomes and Lysosomes
 - (4) Golgi complex, Endoplasmic reticulum, Mitochondria and Lysosomes Ans. 2
- 158. Match List I with List II.

List - I		List - II	
(a)	Metamerism	(i)	Coelenterata
(b)	Canal system	(ii)	Ctenophora
(c)	Comb plates	(iii)	Annelida
(d)	Cnidoblasts	(iv)	Porifera

Choose the ${f correct}$ answer from the options given below.

- (a) (b) (c) (d)
- (1) (iv) (iii) (i) (ii)
- (2) (iii) (iv) (i) (ii)
- (3) (iii) (iv) (ii) (i)
- (4) (iv) (i) (ii) (iii)
- **159.** A specific recognition sequence identified by endonucleases to make cuts at specific positions within the DNA is:
 - (1) Degenerate primer sequence
 - (2) Okazaki sequences
 - (3) Palindromic Nucleotide sequences
 - (4) Poly(A) tail sequences

Ans. 3

- **160.** Which of the following RNAs is not required for the synthesis of protein?
 - (1) mRNA
 - (2) tRNA
 - (3) rRNA
 - (4) siRNA

Ans. 4

- **161.** The partial pressures (in mm Hg) of oxygen (O₂) and carbon dioxide (CO₂) at alveoli (the site of diffusion) are:
 - (1) $pO_2 = 104 \text{ and } pCO_2 = 40$
 - (2) $pO_2 = 40 \text{ and } pCO_2 = 45$
 - (3) $pO_2 = 95 \text{ and } pCO_2 = 40$
 - (4) $pO_2 = 159 \text{ and } pCO_2 = 0.3$

Ans. 1

- **162.** Which of the following statements wrongly represents the nature of smooth muscle?
 - (1) These muscle have no striations
 - (2) They are involuntary muscles
 - (3) Communication among the cells is performed by intercalated discs
 - (4) These muscles are present in the wall of blood vessels

Ans. 3

163. Match the following:

List - I		List - II		
(a) Physalia	(i)	Pearl oyster		
(b) Limulus	(ii)	Portuguese Man of War		
(c) Ancylostoma	(iii)	Living fossil		
(d) Pinctada	(iv)	Hookworm		

Choose the **correct** answer from the options given below.

- (a) (b) (c) (d) (1) (ii) (iii) (i) (iv)
- (2) (iv) (i) (iii) (ii) (3) (ii) (iii) (iv) (i)
- (4) (i) (iv) (iii) (ii)

Ans. 3

- **164.** Succus entericus is referred to as:
 - (1) Pancreatic juice
 - (2) Intestinal juice
 - (3) Gastric juice
 - (4) Chyme

Ans. 2

- **165.** Which of the following is **not** an objective of Biofortification in crops?
 - (1) Improve protein content
 - (2) Improve resistance to diseases
 - (3) Improve vitamin content
 - (4) Improve micronutrient and mineral content
- **166.** Veneral diseases can spread through:
 - (a) Using sterile needles
 - (b) Transfusion of blood from infected person
 - (c) Infected mother to foetus
 - (d) Kissing
 - (e) Inheritance

Choose the **correct** answer from the options given below.

- (1) (a), (b) and (c) only
- (2) (b), (c) and (d) only
- (3) (b) and (c) only
- (4) (a) and (c) only

- **167.** With regard to insulin choose correct options.
 - (a) C-peptide is not present in mature insulin.
 - (b) The insulin produced by rDNA technology has C-peptide.
 - (c) The pro-insulin has C-peptide.
 - (d) A-peptide and B-peptide of insulin are interconnected by disulphide bridges.

Choose the **correct** answer from the options given below.

- (1) (b) and (d) only
- (2) (b) and (c) only
- (3) (a), (c) and (d) only

Ans. 3

(4) (a) and (d) only

168. The fruit fly has 8 chromosomes (2n) in each cell. During interphase of Mitosis if the number of chromosomes at G_1 phase is 8, what would be the number of chromosomes after S phase?

- (1) 8
- (2) 16
- (3) 4
- (4) 32

Ans. 1

- **169.** Which is the "Only enzyme" that has "Capability" to catalyse Initiation, Elongation and Termination in the process of transcription in prokaryotes?
 - (1) DNA dependent DNA polymerase
 - $(2) \qquad DNA\ dependent\ RNA\ polymerase$
 - (3) DNA Ligase
 - (4) DNase

Ans. 2

- **170.** In a cross between a male and female, both heterozygous for sickle cell anaemia gene, what percentage of the progeny will be diseased?
 - (1) 50%
 - (2) 75%
 - (3) 25%
 - (4) 100%

Ans. 3

- 171. For effective treatment of the disease, early diagnosis and understanding its pathophysiology is very important. Which of the following molecular diagnostic techniques is very useful for early detection?
 - (1) Western Blotting Technique
 - (2) Southern Blotting Technique
 - (3) ELISA Technique
 - (4) Hybridization Technique

Ans. 3

- 172. Which stage of meiotic prophase shows terminalisation of chiasmata as its distinctive feature?
 - (1) Leptotene
 - (2) Zygotene
 - (3) Diakinesis
 - (4) Pachytene

Ans. 3

- **173.** Read the following statements.
 - (a) Metagenesis is observed in Helminths.
 - (b) Echinoderms are triploblastic and coelomate animals.
 - (c) Round worms have organ-system level of body organization.
 - (d) Comb plates present in ctenophores help in digestion.
 - (e) Water vascular system is characteristic of Echinoderms

Choose the **correct** answer from the options given below.

- (1) (c), (d) and (e) are correct
- (2) (a), (b) and (c) are correct
- (3) (a), (d) and (e) are correct
- (4) (b), (c) and (e) are correct

Ans. 4

- **174.** Dobson units are used to measure thickness of:
 - (1) CFCs
 - (2) Stratosphere
 - (3) Ozone

Ans. 3

- (4) Troposphere
- 175. During the process of gene amplification using PCR, if very high temperature is not maintained in the beginning, then which of the following steps of PCR will be affected first?
 - (1) Annealing
 - (2) Extension
 - (3) Denaturation
 - (4) Ligation

Ans. 3

Ans. 4

- 176. Identify the incorrect pair.
 - (1) Alkaloids Codeine
 - (2) Toxin Abrin
 - (3) Lectins Concanavalin A
 - (4) Drugs Ricin
- 177. Persons with 'AB' blood group are called as "Universal recipients". This is due to:
 - (1) Absence of antigens A and B on the surface of RBCs
 - (2) Absence of antigens A and B in plasma
 - (3) Presence of antibodies, anti-A and anti-B, on RBCs
 - (4) Absence of antibodies, anti-A and anti-B, in plasma Ans. 4
- **178.** Which one of the following belongs to the family Muscidae?
 - (1) Fire fly
 - (2) Grasshopper
 - (3) Cockroach
 - (4) House fly

- **179.** The centriole undergoes duplication during:
 - (1) S-phase
 - (2) Prophase
 - (3) Metaphase
 - (4) G_2 phase

Ans. 1

- **180.** Receptors for sperm binding in mammals are present on :
 - (1) Corona radiata
 - (2) Vitelline membrane
 - (3) Perivitelline space
 - (4) Zona pellucida

Ans. 4

- **181.** Which enzyme is responsible for the conversion of inactive fibringens to fibrins?
 - (1) Thrombin
 - (2) Renin
 - (3) Epinephrine
 - (4) Thrombokinase

Ans. 1

182. Match List - I with List - II.

	List - I	List - II	
(a)	Aspergillus niger	(i)	Acetic Acid
(b)	Acetobacter aceti	(ii)	Lactic Acid
(c)	Clostridium butylicum	(iii)	Citric Acid
(d)	Lactobacillus	(iv)	Butyric Acid

Choose the **correct** answer from the options given below.

- (a) (b) (c) (d)
- (1) (iii) (i) (iv) (ii)
- (2) (i) (ii) (iii) (iv)
- (3) (ii) (iii) (i) (iv)
- (4) (iv) (ii) (i) (iii) Ans. 1
- **183.** Erythropoietin hormone which stimulates R.B.C. formation is produced by:
 - (1) Alpha cells of pancreas
 - (2) The cells of rostral adenohypophysis
 - (3) The cells of bone marrow
 - (4) Juxtaglomerular cells of the kidney

Ans. 4

184. Match List - I with List - II.

	List - I		List - II
(a)	Vaults	(i)	Entry of sperm through Cervix is blocked
(b)	IUDs	(ii)	Removal of Vas deferens
(c)	Vasectomy	(iii)	Phagocytosis of sperms within the Uterus
(d)	Tubectomy	(iv)	Removal of fallopian tube

Choose the **correct** answer from the options given below.

- (a) (b) (c) (d)
- (1) (iv) (ii) (i) (iii)
- (2) (i) (iii) (ii) (iv)
- (3) (ii) (iv) (iii) (i)
- (4) (iii) (i) (iv) (ii)

Ans. 2

- 185. If Adenine makes 30% of the DNA molecule, what will be the percentage of Thymine, Guanine and Cytosine in it?
 - $(1) \qquad T:20\;;\,G:30\;;\,C:20$
 - (2) T: 20; G: 20; C: 30
 - (3) T:30; G:20; C:20
 - (4) T: 20; G: 25; C: 25

Ans. 3

Section - B (Biology: Zoology)

- **186.** Which of the following secretes the hormone, relaxin, during the later phase of pregnancy?
 - (1) Graafian follicle
 - (2) Corpus luteum
 - (3) Foetus

Ans. 2

- (4) Uterus
- 187. Identify the types of cell junctions that help to stop the leakage of the substances across a tissue and facilitation of communication with neighbouring cells via rapid transfer of ions and molecules.
 - (1) Gap junctions and Adhering junctions, respectively.
 - (2) Tight junctions and Gap junctions, respectively.
 - (3) Adhering junctions and Tight junctions, respectively.
 - (4) Adhering junctions and Gap junctions, respectively.

188. Which one of the following statements about Histones is **wrong**?

- Histones are organized to form a unit of (1)8 molecules.
- (2)The pH of histones is slightly acidic.
- (3)Histones are rich in amino acids - Lysine and Arginine.
- (4) Histones carry positive charge in the side chain. Ans. 2
- 189. Which of these is not an important component of initiation of parturition in humans?
 - (1) Increase in estrogen and progesterone ratio
 - Synthesis of prostaglandins (2)
 - (3)Release of Oxytocin
 - Release of Prolactin (4)

Ans. 4

190. Match List - I with List - II.

	List - I		List - II
(a)	Allen's Rule	(i)	Kangaroo rat
(b)	Physiological adaptation	(ii)	Desert lizard
(c)	Behavioural adaptation	(iii)	Marine fish at depth
(d)	Biochemical adaptation	(iv)	Polar seal

Choose the **correct** answer from the options given below.

> (a) **(b) (c)** (d)

(1) (iv) (iii) (i) (ii)

(2)(iv) (i) (iii) (ii)

(3)(iv) (i) (ii) (iii)

(4) (iv) (iii) (ii) (i)

Ans. 3

191. Match List - I with List - II.

		List - I		List - II
	(a)	Filariasis	(i)	Haemophilus influenzae
	(b)	Amoebiasis	(ii)	Trichophyton
I	(c)	Pneumonia	(iii)	Wuchereria bancrofti
	(d)	Ringworm	(iv)	Entamoeba histolytica

Choose the correct answer from the options given below.

(d) (a) (b) **(c)**

(i) (iii) (1)(iv) (ii)

(2)(iii) (iv) (i) (ii)

(3)(i) (ii)(iv) (iii)

Ans. 2 (iv) (4) (ii) (iii) (i)

- 192. Which of the following is **not** a step in Multiple Ovulation Embryo Transfer Technology (MOET)?
 - (1) Cow is administered hormone having LH like activity for super ovulation
 - (2)Cow yields about 6-8 eggs at a time
 - (3)Cow is fertilized by artificial insemination
 - (4) Fertilized eggs are transferred to surrogate mothers at 8-32 cell stage

Ans. 1

193. Statement I:

The codon 'AUG' codes for methionine and phenylalanine.

Statement II:

'AAA' and 'AAG' both codons code for the amino acid lysine.

In the light of the above statements, choose the **correct** answer from the options given below.

- Both Statement I and Statement II are
- Both Statement I and Statement II are (2)
- Statement I is correct but Statement II (3)is false
- (4) Statement Ι is incorrect but Statement II is true

Ans. 4

194. Match List - I with List - II.

	List - I		List - II	
(a)	Scapula	(i)	Cartilaginous joints	
(b)	Cranium	(ii)	Flat bone	
(c)	Sternum	(iii)	Fibrous joints	
(d)	Vertebral column	(iv)	Triangular flat bone	

Choose the **correct** answer from the options given below.

(i)

(a) (b) (d) **(c)**

(1) (i) (iii) (ii) (iv)

(iii) (3)(iv) (ii) (iii) (i)

(ii)

(2)

(4) (iv) (iii) (ii) (i)

(iv)

Ans. 4

- 195. The Adenosine deaminase deficiency results into:
 - Dysfunction of Immune system (1)
 - (2)Parkinson's disease
 - (3)Digestive disorder
 - (4) Addison's disease

196. Assertion (A):

A person goes to high altitude and experiences 'altitude sickness' with symptoms like breathing difficulty and heart palpitations.

Reason (R):

Due to low atmospheric pressure at high altitude, the body does not get sufficient oxygen.

In the light of the above statements, choose the **correct** answer from the options given below.

- Both (A) and (R) are true and (R) is the correct explanation of (A)
- (2)Both (A) and (R) are true but (R) is not the correct explanation of (A)
- (A) is true but (R) is false (3)
- (A) is false but (R) is true (4)Ans. 1

197. Match List - I with List - II.

	List - I	List - II		
(a)	Adaptive radiation	(i)	Selection of resistant varieties due to excessive use of herbicides and pesticides	
(b)	Convergent evolution	(ii)	Bones of forelimbs in Man and Whale	
(c)	Divergent evolution	(iii)	Wings of Butterfly and Bird	
(d)	Evolution by anthropogenic action	(iv)	Darwin Finches	

Choose the **correct** answer from the options given below.

(a) (b) **(c)** (d) (1)(iii) (ii) (i) (iv) (2)(iii) (ii)(i) (iv) (3)(ii) (i) (iii) (iv)

(iii) (ii) (iv)

198. Following are the statements with reference to 'lipids'.

- Lipids having only single bonds are called (a) unsaturated fatty acids.
- (b) Lecithin is a phospholipid.
- Trihydroxy propane is glycerol. (c)
- Palmitic acid has 20 carbon atoms including (d) carboxyl carbon.
- Arachidonic acid has 16 carbon atoms.

Choose the **correct** answer from the options given below.

Print Less... Save Paper... Save Paper...

- (1) (a) and (b) only
- (2)(c) and (d) only
- (3)(b) and (c) only

Ans. 3

Ans. 1

(4) (b) and (e) only 199. During muscular contraction which of the following events occur?

- 'H' zone disappears (a)
- 'A' band widens (b)
- (c) 'I' band reduces in width
- (d) Myosine hydrolyzes ATP, releasing the ADP and Pi
- Z-lines attached to actins are pulled inwards

Choose the **correct** answer from the options given below.

- (1) (a), (c), (d), (e) only
- (2)(a), (b), (c), (d) only
- (3)(b), (c), (d), (e) only
- (b), (d), (e), (a) only (4)

Ans. 1

200. Following are the statements about prostomium of earthworm.

- (a) It serves as a covering for mouth.
- It helps to open cracks in the soil into which it can crawl.
- It is one of the sensory structures. (c)
- (d) It is the first body segment.

Choose the **correct** answer from the options given

- (1) (a), (b) and (c) are correct
- (a), (b) and (d) are correct (2)
- (3)(a), (b), (c) and (d) are correct
- (4) (b) and (c) are correct

Ans. 1

- o 0 o -

NATIONAL TESTING AGENCY

National Eligibility cum Entrance Test (UG) - 2021

Final Answer Keys on which the Result Declared on 01.11.2021 EXAM DATE: 12.09.2021

BOOK : M4		Final Answer Keys on which the Result Declared on 01.11.2021 EXAM DATE: 12.09.202						2021
1	3	51	2	101	4	151	1	
2	1	52	4	102	1	152	3	
3	2	53	2	103	1	153	2	
4	2	54	1	104	1	154	1	
5	1	55	4	105	3	155	1	
6	2	56	3	106	2	156	2	
7	3	57	3	107	4	157	2	
8	2	58	4	108	3	158	3	
9	2	59	3	109	1	159	3	
10	2	60	2	110	1	160	4	
11	4	61	1	111	3	161	1	
12	1	62	1	112	3	162	3	
13	2	63	4	113	3	163	3	
14	1	64	4	114	2	164	2	
15	4	65	3	115	3	165	2	
16	3	66	2	116	2	166	3	
17	4	67	1	117	4	167	3	
18	4	68	3	118	2	168	1	
19	3	69	2	119	1	169	2	
20	4	70	4	120	3	170	3	
21	4	71	1	121	4	171	3	
22	4	72	1	122	3	172	3	
23	2	73	2	123	2	173	4	
24	2	74	3	124	1	174	3	
25	4	75	1	125	2	175	3	
26	3	76	2	126	4	176	4	
27	1	77	1	127	1	177	4	
28	2	78	1	128	3	178	4	
29	3	79	3	129	2	179	1	
30	3	80	4	130	3	180	4	
31	3	81	2	131	2	181	1	
32	1	82	1	132	1	182	1	
33	4	83	2	133	1	183	4	
34	2	84	1	134	3	184	2	
35	4	85	1	135	2	185	3	
36	4	86	3	136	4	186	2	
37	2	87	3	137	2	187	2	
38	3	88	4	138	1	188	2	
39	3	89	4	139	3	189	4	
40	4	90	4	140	3	190	3	
41	4	91	2	141	2	191	2	
42	4	92	3	142	1	192	1	
43	4	93	3	143	3	193	4	
44	1	94	2	144	2	194	4	
45	2	95	3	145	2	195	1	
46	1	96	3	146	4	196	1	
47	4	97	1	147	1	197	1	
48	4	98	4	148	3	198	3	
49	2	99	1	149	2	199	1	college
50	1	100	3	150	1	200	1	



Please visit: www.easybiologyclass.com

Follow the links for....



PPTs

Biology MCQs

Question Bank

Online Mock Tests

Practical Aids

Difference Between....

Career & News





BIOLOGY EXAMINATIONS NEET **AIIMS GRE** Plus 1 Plus 2 **CBSE ICSE JAM** CUCET GS Bio. **CSIR JRF ICMR JRF** DBT BET **GATE SET** Ph.D **ICAR PSC UPSC University**

Please Share with your Friends, Relatives, Students and Colleagues